## Investigation of Per- and Polyfluoroalkyl Substances (PFAS) in Grant and Kimball Townships, Burtchville, North Street, and St. Clair/St. Clair County Surface Water Sampling Update May 2021

Perfluorinated and polyfluorinated alkyl substances (PFAS) are a very large class of man-made organic chemicals that have been used in numerous industrial processes and consumer products for over 60 years. Validated analytical methods are available for relatively few of the thousands of compounds. Much of the environmental monitoring of PFAS in Michigan has focused on measuring only perfluorinated chemicals.

Many PFAS are persistent, some bioaccumulate in the environment, and several are toxic to mammals and/or birds in laboratory tests. The toxicities of most PFAS have not been evaluated. Two perfluorinated compounds; perfluoroctanoic acid (PFOA) and perfluoroctane sulfonate (PFOS), have been the subject of the most toxicological work and environmental monitoring. Both compounds were manufactured intentionally, but they can also be generated as byproducts when other fluorinated compounds break down. In addition, several PFAS are key ingredients in firefighting foams. These foams have been used extensively in fire training exercises at military bases nationwide; in recent years, PFAS have been detected in surface and groundwater near many military facilities. Many products containing PFAS are used in numerous industrial processes, including metal plating, textile production and treatment, and specialty paper production. Industrial and domestic waste containing these compounds can enter the environment through municipal or private waste treatment systems, storm water runoff, venting groundwater, or as deposits after emissions into the atmosphere. Both PFOS and PFOA have been measured in surface waters across the state, and PFOS has been detected in most fish tissue samples from Michigan waters that have been analyzed for PFAS.

The Michigan Department of Environment, Great Lakes, and Energy (EGLE) has generated Rule 57 surface water quality values for the protection of human health and aquatic life for PFOS and PFOA. The Rule 57 Human Non-Cancer Value (HNV) for PFOS is 12 nanograms per liter (ng/L; parts per trillion) in surface waters not used as a source of drinking water, and 11 ng/L for those surface waters used as a drinking water source. The HNVs for PFOA are 420 ng/L and 12,000 ng/L for drinking and non-drinking water sources, respectively. The Aquatic Maximum Value (AMV) is the highest concentration of a substance to which an aquatic community can be exposed briefly without resulting in adverse effects, whereas the Final Chronic Value (FCV) is the highest concentration of a substance to which an aquatic community can be exposed for a long period of time without experiencing adverse effects. The Rule 57 AMV and FCV for PFOS is 880,000 and 7,700 ng/L, respectively.

EGLE, Water Resources Division (WRD), Emerging Pollutant Section (EPS), conducted surface water sampling in the Black River, Pine River, and Mill Creek watersheds in May 2021. This sampling is a continuation of the sampling effort the WRD, EPS, conducted in August 2020. Read a summary of the August 2020 surface water sampling. The WRD, EPS, collected surface water samples in the Doe Creek, Rattle Run, Milwaukee Creek, Kettle Creek (proposed name), Pine River, and Burtch Creek drainages (Table 1; Figure 1, Figure 2, and Figure 3). These sample locations are upstream of previously-measured locations to aid in our investigation of identifying the source(s) of PFAS in these drainages.

Surface water samples were collected in accordance with the Michigan General PFAS Sampling Guidance (MDEQ 2018a) and Surface Water PFAS Sampling Guidance (MDEQ 2018b). Quality Assurance/Quality Control (QA/QC) procedures followed the Fort Gratiot Area PFAS Investigation August 2020 Quality Assurance Project Plan (QAPP). The analysis of samples for select PFAS compounds will be performed by Vista Analytical Laboratories in El Dorado Hills, California. Surface water samples were analyzed for the PFAS listed in Table 2.

## References:

Michigan Department of Environmental Quality. (2018a). General PFAS Sampling Guidance. Michigan Department of Environmental Quality. (2018b). Surface Water PFAS Sampling Guidance.

- Michigan Department of Environment, Great Lakes, and Energy Fort Gratiot Area Perfluoroalkyl and Polyfluoroalkyl Compound (PFAS) Investigation May 2021 Quality Assurance Project Plan (QAPP).
- Status Update By: Brian Zuber, Senior Environmental Quality Analyst Anne Tavalire, Regional Pretreatment Program Specialist Emerging Pollutant Section Water Resources Division Michigan Department of Environment, Great Lakes, and Energy

Table 1: PFOS and PFOA concentrations in surface water samples collected from locations in the Black River, Mill Creek, and Pine River Watersheds in May 2021. Concentrations exceeding the Rule 57 HNV are in bold and italicized. FR denotes Field Replicate.

SAMPLE ID	SAMPLE LOCATION DESCRIPTION	LAT	LONG	PFOS (NG/L)	PFOA (NG/L)
FG1	Dry; not sampled	43.1493	-82.5434		
FG2	Unnamed Ditch on west side of Wildcat Road	43.1278	-82.5815	3.55	<4.10
FG3	Unnamed Ditch on west side of Wildcat Road	43.1303	-82.5817	339	186
FG4	Unnamed Ditch @ Wildcat Road	43.1367	-82.5822	<4.10	2.62
FG5	Unnamed Ditch on west side of North Road	43.0759	-82.5283	126	27.9
FG6	Unnamed Ditch @ McIntryre Road	43.0729	-82.5484	2610	256
FG7	Unnamed Ditch @ McIntryre Road	43.0727	-82.5566	<4.18	<4.18
FG7-FR	Unnamed Ditch @ McIntryre Road	43.0727	-82.5566	<4.18	<4.18
FG8	Unnamed Ditch @ Vincent Road	43.0602	-82.5570	<4.10	<4.10
FG9	Unnamed Ditch @ Carrigan Road	43.0585	-82.5505	147	15.8
FG10	Unnamed Ditch	43.0457	-82.5512	<4.23	<4.23
FG11	Dry; not sampled	43.0479	-82.5513		
FG12	Pond north of FG13	43.0470	-82.5495	4.37	3.76
FG13	North side of Pond north of Beard Road and east of Vincent Road	43.0452	-82.5488	72.2	21.9
FG14	Pond east of driveway on Beard Road	43.0451	-82.5428	1260	205
FG15	Unnamed Ditch @ Vincent Road	43.0261	-82.5548	<4.99	<4.99
FG16	Unnamed Ditch @ Wadhams Road	43.0262	-82.5400	127	9.72
FG17	Unnamed Ditch @ North Road	43.0240	-82.5251	66.4	25.1
FG18	Unnamed Ditch @ Scott Road	42.9196	-82.5559	103	63.9
FG19	Unnamed Ditch @ Rattle Run Road and Trumble Road	42.8308	-82.5450	5.95	2.89
FG20	Unnamed Ditch @ Carriage Lane	42.8229	-82.5401	11.9	5.21
FG21	Smiths Creek @ Burns Road	42.9189	-82.6108	<4.09	1.36
FG22	Dry; not sampled	42.9219	-82.6208		
FG23	Wolvin Drain @ Richman Road	42.9290	-82.6010	<4.13	1.45
FG23-FR	Wolvin Drain @ Richman Road	42.9290	-82.6010	<4.13	1.81
FG24	Unnamed Ditch @ North Mayer Road	42.9636	-82.6230	5.37	1.90
FG25	Unnamed Ditch @ North Mayer Road	42.9568	-82.6226	4.99	2.05
FG26	Unnamed Ditch @ State Road	43.1468	-82.5232	571	20.1
FG27	London Drain @ Smiths Creek Road	42.9190	-82.5463	8.49	18.2

Table 2: Perfluoroalkyl and polyfluoroalkyl substances analyzed.

Compound	Abbreviation	CAS #
Perfluorotetradecanoic acid	PFTeA	376-06-7
Perfluorotridecanoic acid	PFTriA	72629-94-8
Perfluorododecanoic acid	PFDoA	307-55-1
Perfluoroundecanoic acid	PFUnA	2058-94-8
Perfluorodecanoic acid	PFDA	335-76-2
Perfluorononanoic acid	PFNA	375-95-1
Perfluorooctanoic acid	PFOA	335-67-1
Perfluoroheptanoic acid	PFHpA	375-85-9
Perfluorohexanoic acid	PFHxA	307-24-4
Perfluoropentanoic acid	PFPeA	2706-90-3
Perfluorobutanoic acid	PFBA	375-22-4
Perfluorodecanesulfonic acid	PFDS	335-77-3
Perfluorononanesulfonic acid	PFNS	68259-12-1
Perfluorooctanesulfonic acid	PFOS	1763-23-1
Perfluoroheptanesulfonic acid	PFHpS	375-92-8
Perfluorohexanesulfonic acid	PFHxS	355-46-4
Perfluoropentanesulfonic acid	PFPeS	2706-91-4
Perfluorobutanesulfonic acid	PFBS	375-73-5
Perfluorooctanesulfonamide	PFOSA	754-91-6
Fluorotelomer sulphonic acid 8:2	FtS 8:2	39108-34-4
Fluorotelomer sulphonic acid 6:2	FtS 6:2	27619-97-2
Fluorotelomer sulphonic acid 4:2	FtS 4:2	757124-72-4
2-(N-Ethylperfluorooctanesulfonamido) acetic acid	N-EtFOSAA	2991-50-6
2-(N-Methylperfluorooctanesulfonamido) acetic acid	N-MeFOSAA	2355-31-9
Hexafluoropropylene oxide dimer acid	HFPO-DA	13252-13-6
11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	11CI-PF3OUdS	763051-92-9
9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid	9CI-PF3ONS	756426-58-1
4,8-dioxa-3H-perfluorononanoic acid	ADONA	919005-14-4
Perfluoroethylcyclohexane Sulfonate	PFecHS	646-83-3

Figure 1: Overview map of surface water PFOS concentrations (ng/L) at locations in the Mill Creek and Black River Watersheds sampled in May 2021. The blue area is the Mill Creek-Frontal Lake Huron Watershed, whereas the red area is the Black River (St. Clair) Watershed. Concentrations exceeding the Rule 57 HNV are displayed as red circles.



Figure 2: Overview map of surface water PFOS concentrations (ng/L) at locations in the Mill Creek and Black River Watersheds sampled in May 2021. The blue area is the Mill Creek-Frontal Lake Huron Watershed, whereas the red area is the Black River (St. Clair) Watershed. Concentrations exceeding the Rule 57 HNV are displayed as red circles.



Figure 3: Overview map of surface water PFOS concentrations (ng/L) at locations in the Pine River watershed sampled in May 2021. The green area is the Pine River-Frontal Saint Clair River Watershed. Concentrations exceeding the Rule 57 HNV are displayed as red circles.

