

# **EXHIBIT A**

**PERMIT NO. MIG010000**  
**STATE OF MICHIGAN**  
**DEPARTMENT OF ENVIRONMENTAL QUALITY**  
**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM**  
**WASTEWATER DISCHARGE GENERAL PERMIT**  
**CONCENTRATED ANIMAL FEEDING OPERATIONS**

In compliance with the provisions of the Federal Water Pollution Control Act (33 U.S.C. 1251 *et seq.*, as amended; the "Federal Act"); Part 31, Water Resources Protection, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (NREPA); Part 41, Sewerage Systems, of the NREPA; and Michigan Executive Order 2011-1, Concentrated Animal Feeding Operations (CAFOs) are authorized to operate facilities specified in individual "Certificates of Coverage" (COCs) in accordance with effluent limitations, monitoring requirements and other conditions set forth in this general National Pollutant Discharge Elimination System (NPDES) permit (the "permit").

The applicability of this permit shall be limited to CAFOs that have not been determined by the Michigan Department of Environmental Quality (Department) to need an individual NPDES permit. New swine, poultry, and veal facilities with contaminated areas of the production area exposed to precipitation, including waste storage structures, are not eligible for this permit. New means populated after January 20, 2009. Discharges which may cause or contribute to a violation of a water quality standard are not authorized by this permit.

In order to constitute a valid authorization to discharge, this permit must be complemented by a COC issued by the Department and copies of both must be kept at the permitted CAFO. The following will be identified in the COC (as appropriate):

- The rainfall event magnitude at the production area [Part I.B.1.a.2)]
- The date by which existing CAFOs shall attain six months waste storage [Part I.B.1.a.4)]
- The date by which existing waste storage structures shall meet Natural Resources Conservation Services (NRCS) Practice Standard No. 313 [Part I.B.1.b.2)b)B)] along with a statement that specifies if the requirements specified in this permit or the requirements specified in the previous version of this permit, issued March 30, 2010, apply to existing waste storage structures
- The date by which the permittee shall cease using waste storage structures that do not meet standards and will not be upgraded [Part I.B.1.b.2)c)]
- Data for the application rate table for crops not listed in the permit [Part I.B.3.c.2)]
- Alternate land application rates and methodologies [Part I.B.3.c.2)]
- Total Maximum Daily Loads (TMDL) if the permittee's production or land application areas are located within a watershed(s) covered by an approved *E. coli*, biota, or dissolved oxygen TMDL (Part I.C.10.)
- Percent of outside materials allowed in the anaerobic digester associated with the CAFO permitted under this COC, if that percentage is greater than five (Part I.C.11.)

Compliance dates in reissued COCs shall be carried over from the expiring COC, unless modified by the Department.

Unless specified otherwise, all contact with the Department required by this permit shall be to the position indicated in the COC.

**This permit takes immediate effect on the date of issuance.** The provisions of this permit are severable. After notice and opportunity for a hearing, this permit may be modified, suspended, or revoked in whole or in part during its term in accordance with applicable laws and rules.

This permit shall expire at midnight, **April 1, 2020.**

**Issued: April 30, 2015.**

Original Permit Signed by Philip Argiroff  
Philip Argiroff, Chief  
Permits Section  
Water Resources Division

### PERMIT FEE REQUIREMENTS

In accordance with Section 324.3120 of the NREPA, the permittee shall make payment of an annual permit fee to the Department for each October 1 the permit is in effect regardless of occurrence of discharge. The permittee shall submit the fee in response to the Department's annual notice. The fee shall be postmarked by January 15 for notices mailed by December 1. The fee is due no later than 45 days after receiving the notice for notices mailed after December 1.

### CONTESTED CASE INFORMATION

The terms and conditions of this permit shall apply to an individual facility on the effective date of a COC for the facility. The Department of Licensing and Regulatory Affairs may grant a contested case hearing on this permit in accordance with the NREPA. Any person who is aggrieved by this permit may file a sworn petition with the Michigan Administrative Hearing System within the Michigan Department of Licensing and Regulatory Affairs, c/o the Michigan Department of Environmental Quality, setting forth the conditions of the permit which are being challenged and specifying the grounds for the challenge. The Department of Licensing and Regulatory Affairs may reject any petition filed more than 60 days after issuance as being untimely.



# Table of Contents

## PART I, Section A

1.	Authorized Discharges and Overflows - - - - -	5
2.	Monitoring Discharges and Overflows from Storage Structures- - - - -	5
3.	Prohibited Discharges - - - - -	5

## PART I, Section B

1.	CAFO Waste Storage Structures	
a.	Volume Design Requirements - - - - -	6
b.	Physical Design & Construction Requirements	
1)	Depth Gauge- - - - -	6
2)	Structural Design - - - - -	6
c.	Inspection Requirements - - - - -	7
d.	Operation & Maintenance Requirements- - - - -	7
2.	Best Management Practices Requirements	
a.	Conservation Practices - - - - -	8
b.	Divert Clean Water- - - - -	8
c.	Prevent Direct Contact of Animals with Waters of the State- - - - -	8
d.	Animal Mortality - - - - -	8
e.	Chemical Disposal - - - - -	9
f.	Inspection, Proper Operation, and Maintenance - - - - -	9
3.	Land Application of CAFO Waste	
a.	Field-by-Field Assessment - - - - -	9
b.	Field Inspections - - - - -	10
c.	Maximum Land Application Rates- - - - -	10
1)	Land Application Rate Prohibitions - - - - -	11
2)	Phosphorus Levels - - - - -	11
d.	Land Application Log - - - - -	13
e.	Prohibitions - - - - -	13
f.	Methods- - - - -	14
g.	Setbacks- - - - -	14
h.	Non-Production Area Storm Water Management- - - - -	14
4.	Comprehensive Nutrient Management Plan (CNMP)	
a.	Approval- - - - -	14
b.	Submittal - - - - -	15
c.	Contents- - - - -	15
d.	Annual Review and Report - - - - -	15
e.	CNMP Revisions- - - - -	15

## PART I, Section C

1.	Reporting of Overflows and Discharges from CAFO Waste Storage Structures and Land Application - - - - -	17
2.	Construction of New Waste Storage Facilities - - - - -	17
3.	Closure of Structures and Facilities - - - - -	17
4.	Standards, Specifications, and Practices - - - - -	18
5.	Facility Contact- - - - -	18
6.	Expiration and Reissuance - - - - -	18
7.	Compliance Dates for Existing Permittees- - - - -	19
8.	Requirement to Obtain Individual Permit - - - - -	19
9.	Requirements for Land Application Not Under the Control of the Permittee- - - - -	19
10.	Water Quality-Impaired Waters - - - - -	20
11.	Treatment System - - - - -	21
12.	Document Availability - - - - -	21

## PART II, Section A

Definitions - - - - -	22
-----------------------	----

## PART II, Section B

1.	Representative Samples - - - - -	25
2.	Test Procedures - - - - -	25
3.	Instrumentation - - - - -	25
4.	Recording Results - - - - -	25
5.	Records Retention - - - - -	25

## PART II, Section C

1.	Start-up Notification - - - - -	26
2.	Submittal Requirements for Self-Monitoring Data - - - - -	26
3.	Retained Self-Monitoring Requirements - - - - -	26
4.	Additional Monitoring by Permittee - - - - -	26
5.	Compliance Dates Notification - - - - -	27
6.	Noncompliance Notification - - - - -	27
7.	Spill Notification - - - - -	27
8.	Upset Noncompliance Notification- - - - -	28
9.	Bypass Prohibition and Notification - - - - -	28
10.	Bioaccumulative Chemicals of Concern (BCC)- - - - -	29
11.	Notification of Changes in Discharge - - - - -	29
12.	Changes in Facility Operations - - - - -	30
13.	Transfer of Ownership or Control- - - - -	30
14.	Operations and Maintenance Manual - - - - -	30
15.	Signatory Requirements - - - - -	31
16.	Electronic Reporting- - - - -	31

## PART II, Section D

1.	Duty to Comply- - - - -	32
2.	Facilities Operation - - - - -	32
3.	Power Failures - - - - -	32
4.	Adverse Impact- - - - -	32
5.	Containment Facilities - - - - -	33
6.	Waste Treatment Residues - - - - -	33
7.	Right of Entry - - - - -	33
8.	Availability of Reports - - - - -	33
9.	Duty to Provide Information - - - - -	33

## PART II, Section E

1.	Discharge to the Groundwaters - - - - -	34
2.	POTW Construction- - - - -	34
3.	Civil and Criminal Liability- - - - -	34
4.	Oil and Hazardous Substance Liability - - - - -	34
5.	State Laws - - - - -	34
6.	Property Rights - - - - -	34

## PART III

Technical Standard for the Surface Application of Concentrated Animal Feeding Operations	
Waste on Frozen or Snow-Covered Ground Without Incorporation or Injection- - - - -	35

**PART I****Section A. Effluent Limitations And Monitoring Requirements****1. Authorized Discharges and Overflows**

During the period beginning on the effective date of this permit and lasting until the expiration of this permit, the permittee is authorized to discharge the following, provided that the discharge does not cause or contribute to an exceedance of Michigan's Water Quality Standards:

- a. CAFO waste in the overflow from the storage structures for cattle, horses and sheep, and existing swine, poultry, and veal facilities identified in Part I.B.1. below, when all of the following conditions are met:
  - 1) These structures are properly designed, constructed, operated, and maintained.
  - 2) Precipitation events cause an overflow of the storage structures to occur.
  - 3) The production area is operated in accordance with the requirements of this permit.
- b. Precipitation caused runoff from land application areas and areas listed in Part I.B.3.h. that are managed in accordance with the NMP (see Part I.B. below).

This permit does not authorize any discharge to the groundwaters. Such discharge may be authorized by a groundwater discharge permit issued pursuant to the Michigan Act.

**2. Monitoring Discharges and Overflows from Storage Structures**

The discharge authorized in Part I.A.1.a., above, shall be monitored four times daily (every six hours) by the permittee as specified below on any day when there is a discharge:

<u>Parameter</u>	<u>Units</u>	<u>Sample Type</u>
Overflow Volume (at storage structure)	MGD	Report Total Daily Volume
Discharge to Surface Waters Volume	MGD	Report Total Daily Volume
Overflow Observation (at storage structure)	---	Report Visual Condition of the Overflow
Discharge to Surface Waters Observation	---	Report Physical Characteristics (see below)

Any physical characteristics of the discharge at the point of discharge to surface waters (i.e., unnatural turbidity, color, oil film, odor, floating solids, foams, settleable solids, suspended solids, or deposits) shall be reported concurrently with the discharge reporting required in Part II.C.6. and included in the discharge report required by Part I.C.1.

**3. Prohibited Discharges**

During the period beginning on the effective date of this permit and lasting until the expiration of this permit, the permittee is prohibited from having any dry weather discharge or discharging any CAFO waste and/or runoff that fails to meet the requirements of Part I.A.1. Discharges due to overflows from storage structures at new swine, poultry, or veal facilities are prohibited. Discharges from land application activities that do not meet the requirements of Part I.A.1. or that cause an exceedance of Michigan's Water Quality Standards are prohibited.



**PART I****Section B. Nutrient Management Plan**

The permittee shall implement the following requirements.

**1. CAFO Waste Storage Structures****a. Volume Design Requirements**

The permittee shall have CAFO waste storage structures in place and operational at all times that are adequately designed, constructed, maintained, and operated to contain the total combined volume of all of the following:

- 1) All CAFO waste generated from the operation of the CAFO in a six-month or greater time period (including normal precipitation and runoff in the production area during the same time period). This is the operational volume of the storage structure.
- 2) For cattle, horses, and sheep, and existing (populated prior to January 20, 2009) swine, poultry, and veal facilities, all production area waste generated from the 25-year 24-hour rainfall event. The magnitude of the rainfall event will be specified in the COC. This is an emergency volume to be kept available to contain large rainfall events. New (populated on or after January 20, 2009) swine, poultry, and veal facilities shall be designed to have all contaminated areas of the production area, including waste storage structures, totally enclosed and not subject to precipitation and, therefore, not needing room for the emergency volume in their storage structures.
- 3) An additional design capacity of a minimum of 12 inches of freeboard for storage structures that are subject to precipitation caused runoff. For storage structures that are not subject to precipitation-caused runoff, the freeboard shall be a minimum of 6 inches. This is the freeboard volume.
- 4) Records documenting the current design volume of any CAFO waste storage structures, including volume for solids accumulation, design treatment volume, total design volume, volumes of the operational, emergency, and freeboard volumes, and approximate number of days of storage capacity shall be included in the permittee's CNMP. For CAFOs not previously permitted, the COC may specify the date by which the permittee shall attain six months storage volume capacity, but that date shall be no more than three years after the COC issuance date.

**b. Physical Design & Construction Requirements****1) Depth Gauge**

CAFO waste storage structures shall include an easily visible, clearly marked depth gauge. Clear, major divisions shall be marked to delineate the operational, emergency, and freeboard volumes as specified above in Part I.B.1.a. (two volumes for new swine, poultry, and veal facilities). The top mark of the gauge shall be placed level with the lowest point on the top of the storage structure wall or dike. The elevation for the gauge shall be re-established as necessary but not less than every five years to adjust for any movement or settling. Materials used must be durable and able to withstand freezing and thawing (examples: large chain, heavy-duty PVC, steel rod). Any depth gauges that are destroyed or missing must be replaced immediately. Under-barn storages may be measured with a dip-stick or similar device. For solid stackable CAFO waste storage, depth gauge levels may be permanently marked on sidewalls.

**2) Structural Design**

Records documenting or demonstrating the current structural design as required below, including as-built drawings and specifications, of any CAFO waste storage structures, whether or not currently in use, shall be kept with the permittee's CNMP until such structure is permanently closed in accordance with Part I.C.3. Included in the CNMP submitted to the Department shall be a short description of the structural design of each structure (type of structure; dimensions including depth; liner material, thickness, and condition; depth from the design bottom elevation to the seasonal high water table), a statement whether the engineer's evaluation has been completed or not, and a brief description of the results of the evaluation (meets NRCS 313 2014 or provides environmental performance equivalent to NRCS 313 2005 or 2014).

- a) New Storage Structures (constructed after the effective date of the COC)  
Except as otherwise required by this permit, CAFO waste storage structures shall, at a minimum, be constructed in accordance with NRCS 313 2014.
- b) Existing Storage Structures at Newly-Permitted CAFOs (facilities without prior NPDES permit coverage) and Previously-Permitted CAFOs (storage structures constructed prior to the issuance of the CAFO's first COC)

**PART I****Section B. Nutrient Management Plan**

- A) In a permit application for coverage under this permit, the applicant shall either:
  - i) For each existing storage structure document through an evaluation by a professional engineer that each structure is constructed in accordance with NRCS 313 2005 or 2014. Submit to the Department documentation signed by an engineer verifying that each structure is constructed in accordance with NRCS 313 2005 or 2014. Complete as-built plans, specifications, drawings, etc. shall be kept at the farm with the CNMP and do not need to be submitted, or
  - ii) For each existing storage structure, on a form provided by the Department and submitted to the Department, demonstrate environmental performance equivalent to NRCS 313 2014. The demonstration shall be accomplished through an evaluation by a professional engineer.
- B) If the applicant for a Newly-Permitted CAFO cannot provide the documentation or demonstration required by (i) or (ii) above, the applicant may request that the COC specify a date by which the permittee shall provide storage structures that attain (i) above, but that date shall be no more than three years after the COC issuance date.
- C) Previously evaluated storage structures at permitted CAFOs shall have documentation demonstrating that the structure was constructed to, or provides equivalent environmental protection to, NRCS 313 2003 or 2005.
- c) Existing Storage Structures not Meeting Standards  
Usage, for the storage of large CAFO waste, of existing storage structures that do not meet the requirements above in Part B) and will not be upgraded to meet NRCS 313 Standards by the date in the COC, shall be discontinued by that same date in the COC. Such structures shall be maintained or permanently closed in accordance with Part I.C.3. Records of usage, maintenance, or closure shall be included in the CNMP.

**c. Inspection Requirements**

The permittee shall develop a Storage Structure Inspection Plan and inspect the CAFO waste storage structures a minimum of one time weekly year-round. The inspection plan shall be included in the CNMP and results of the inspections shall be kept with the CNMP on a form provided by the Department. Individual results shall be kept for a period of five years. The plan shall include all of the following inspections:

- 1) The CAFO waste storage structures for cracking, inadequate vegetative cover, woody vegetative growth, evidence of overflow, leaks, seeps, erosion, slumping, animal burrowing or breakthrough, and condition of the storage structure liner
- 2) The depth of the CAFO waste in the storage structure and the available operating capacity as indicated by the depth gauge
- 3) The collection system, lift stations, mechanical and electrical systems, transfer stations, control structures, and pump stations to assure that valves, gates, and alarms are set correctly and all are properly functioning.

**d. Operation & Maintenance Requirements**

The permittee shall implement a Storage Structure Operation and Maintenance Program that incorporates all of the following management practices. The permittee shall initiate steps to correct any condition that is not in accordance with the Storage Structure Operation and Maintenance Program. A copy of the program shall be included in the CNMP. Specific records below shall be kept with the CNMP unless specified otherwise below.

- 1) In the event that the level of CAFO waste in the storage structure rises above the maximum operational volume level and enters the emergency volume level, the Department shall be notified. The level in the storage structure shall be reduced within one week, unless a longer time period is authorized by the Department (the removed CAFO waste shall be land applied in accordance with this permit or the Department shall be notified if another method of disposal is to be used) and the emergency volume shall be restored. Descriptions of such events shall be recorded in the CNMP.
- 2) At some point in time during the period of November 1 to December 31 of each year, there shall be an available operational volume in the CAFO waste storage structures equal to the volume of CAFO waste generated from the operation of the CAFO in a six-month or greater time period (including normal precipitation and runoff in the production area during the same time period). The date of this occurring



**PART I****Section B. Nutrient Management Plan**

shall be recorded in the CNMP and reported to the Department in accordance with Part II.C.5, Compliance Dates Notification.

3) Vegetation shall be maintained at a height that stabilizes earthen CAFO waste storage structures, provides for adequate visual inspection of the storage structures, and protects the integrity of the storage structure liners. The vegetation shall have sufficient density to prevent erosion. Woody vegetation shall be removed promptly from waste storage berms and other areas where roots may penetrate or disturb waste storage facility liners or waste treatment facilities.

4) Dike damage caused by erosion, slumping, or animal burrowing shall be corrected immediately and steps taken to prevent occurrences in the future.

5) The integrity of the CAFO waste storage structure liner shall be protected. Liner damages shall be corrected immediately and steps taken to prevent future occurrences.

6) Problems with the collection system, lift stations, mechanical and electrical systems, transfer stations, control structures, and pump stations shall be corrected as soon as possible. Records of these inspections and records documenting any actions taken to correct deficiencies shall be kept with the CNMP for a minimum of five years. Deficiencies not corrected within 30 days must be accompanied by an explanation of the factors causing the delayed correction.

7) CAFO waste shall be stored only in storage structures as described above, except for solid stackable manure collected in-barn prior to transfer to storage.

**2. Best Management Practices Requirements**

The following are designed to achieve the objective of preventing unauthorized discharges to waters of the state from production areas and land application activities.

a. **Conservation Practices**

The permittee shall maintain specific conservation practices near or at production areas, land application areas, and heavy use areas within pastures associated with the CAFO that are sufficient to control the runoff of pollutants to surface waters of the state in quantities that may cause or contribute to a violation of water quality standards. These practices shall be consistent with NRCS Conservation Practices and in compliance with the requirements of this permit. The permittee shall include within the CNMP a list of conservation practices used near or at production areas and land application areas. This list does not need to include temporary practices or other practices already required by this permit.

b. **Divert Clean Water**

The permittee shall design and implement structures and management practices to divert clean storm water to prevent contact with contaminated portions of the production areas. Clean storm water may include roof runoff, runoff from adjacent land, and runoff from feed or silage storage areas where such runoff has not contacted feed, silage, or silage leachate. Describe in the CNMP structures and management practices used to divert clean water from the production area and/or beneficial uses of diverted water if it will be collected for reuse.

c. **Prevent Direct Contact of Animals with Waters of the State**

There shall be no access of animals to surface waters of the state at the production area of the CAFO. The permittee shall develop and implement appropriate controls to protect water quality by preventing access of animals to waters of the state and shall describe such controls in the CNMP.

d. **Animal Mortality**

The permittee shall handle and dispose of dead animals in a manner that prevents contamination of waters of the state. Mortalities must not be disposed of in any liquid CAFO waste or storm water storage structure that is not specifically designed to treat animal mortalities. A description of mortality management practices shall be included in the CNMP. Records of mortality handling and disposal shall be kept with the permittee's CNMP for a minimum of five years.

**PART I****Section B. Nutrient Management Plan**

- e. **Chemical Disposal**  
The permittee shall prevent introduction of hazardous or toxic chemicals (for purposes of disposal) into CAFO waste storage structures. Examples of hazardous and toxic chemicals are pesticides and petroleum products/by-products. Identify in the CNMP appropriate practices that ensure chemicals and other contaminants handled at the CAFO are not disposed of in any CAFO waste or storm water storage or treatment system.
- f. **Inspection, Proper Operation, and Maintenance**  
The permittee shall develop and implement an Inspection, Operation, and Maintenance Program that includes periodic visual inspections, proper operation, and maintenance of all CAFO waste-handling equipment including piping and transfer lines, and all runoff management devices (e.g., cleaning separators, barnyards, catch basins, screens) to prevent unauthorized discharges to surface water and groundwater. A copy of the program shall be included in the CNMP. Specific inspection requirements include, but are not limited to, all of the following:
- 1) Weekly visual inspections of all clean storm water diversion devices and outlets.
  - 2) Daily visual inspections of water lines, including drinking water and cooling water lines, and above-ground piping and transfer lines, or an equivalent method of checking for water line leaks that incorporates the use of water meters, pressure gauges, or some other monitoring method.
  - 3) All CAFO waste-handling equipment including piping and transfer lines, and all runoff management devices shall be accessible such that required visual inspections may occur. This may necessitate frequent removal of vegetation, snow, or other obstructions.
  - 4) Any deficiencies shall be corrected as soon as possible.
  - 5) Records of these inspections and records documenting any actions taken to correct deficiencies shall be recorded on a form provided by the Department and shall be kept in the CNMP for a minimum of five years. Deficiencies not corrected within 30 days must be accompanied by an explanation of the factors causing the delayed correction.

**3. Land Application of CAFO Waste**

- a. **Field-by-Field Assessment**  
The permittee shall conduct a field-by-field assessment of all land application areas. Each field shall be assessed prior to use for land application of CAFO waste. The assessment shall include field maps with location information and identify field-specific conditions, including, but not limited to, slopes, soil type, locations of tile outlets, tile risers and tile depth, conservation practices, and offsite conditions, such as buffers and distance or conveyance to surface waters. The assessment shall also identify areas which, due to topography, activities, or other factors, have a potential for erosion. The assessment shall also identify fields, or portions of fields, that will be used for surface application of CAFO waste without incorporation to frozen or snow-covered ground in accordance with the Department 2005 Technical Standard for the Surface Application of CAFO Waste on Frozen or Snow-Covered Ground Without Incorporation or Injection (last page of this permit). The results of this assessment, along with consideration of the form and source of the CAFO waste and all nutrient inputs in addition to those from large CAFO waste, shall be used to ensure that the amount, timing, and method of application of CAFO waste:
- 1) does not exceed the capacity of the soil to assimilate the CAFO waste
  - 2) is in accordance with field-specific nutrient management practices that ensures appropriate agricultural utilization of the nutrients in the CAFO waste
  - 3) does not exceed the maximum annual land application rates specified in Part I.B.3.c., below
  - 4) will not result in unauthorized discharges
- All assessments shall be kept in the CNMP. An assessment for a particular field can be deleted from the CNMP once that field is no longer used for land application.
- Any new fields shall be assessed prior to their use for land application activities. The Department shall be notified of the new fields prior to their use through submittal of a permit modification request that includes the field-by-field assessment, a map showing the entire field, its size in acres, location information, planned crops, and realistic crop yield goals. The request will be public noticed. The permittee may use the field eighteen calendar days after submittal of the request unless notified otherwise by the Department.



**PART I****Section B. Nutrient Management Plan****b. Field Inspections**

Prior to conducting land application of CAFO waste to fields determined to be suitable under Part I.B.3.a. above, the permittee shall perform the following inspections at the indicated frequency to ensure that unauthorized discharges do not occur as a result of the land application of CAFO waste. Records of inspections, monitoring, and sampling required by this section shall be recorded in the Land Application Log required by Part I.B.3.d.

1) CAFO waste shall be sampled a minimum of once per year to determine nutrient content and analyzed for total Kjeldahl nitrogen (TKN), ammonium nitrogen, and total phosphorus. CAFO waste shall be sampled in a manner that produces a representative sample for analysis. Guidance for CAFO waste sampling protocols can be found in Bulletin NCR 567 available from Michigan State University Extension. Analytical methods shall be as required by Part II.B.2. The CAFO waste test results shall be used to determine land application rates as described in c) below. Record the nutrient levels and analysis methods in the Land Application Log and include in the CNMP.

2) Soils at land application sites shall be sampled a minimum of once every three years, analyzed to determine phosphorus levels, and the soil test results shall be used to determine land application rates as described in c) below. Sample soil using an 8-inch vertical core, and take 20 or more cores in a random pattern spread evenly over each uniform field area. A uniform field area shall be no greater than 20 acres or it can be up to 40 acres if that field has one soil map unit and has been managed as a single field for the last ten years. The 20 cores shall be composited into one sample and analyzed using the Bray P1 method. Alternate methods may be used upon approval of the Department. Record the phosphorus levels in the Land Application Log and in the CNMP. Additional information on soil sampling can be found in Michigan State University Extension Bulletins E2904 and E498.

3) The permittee shall inspect each field no earlier than 48 hours prior to each land application of CAFO waste to that field to evaluate the current suitability of the field for application. This inspection shall include, at a minimum, the state of all tile outlets, evidence of soil cracking, the moisture-holding capacity of the soil, crop maturity, and the condition of designated conservation practices (i.e., grassed waterways, buffers, diversions). Results and findings of all inspections shall be recorded in the Land Application Log.

4) The permittee shall visually inspect all tile outlets draining a given field immediately prior to the land application of CAFO wastes to that field. Tile outlets shall be inspected again upon completion of the land application to the field, or at the end of the working day should application continue on that field for more than one day (include in the Land Application Log written descriptions of tile outlet inspection results, and observe and compare color and odor of tile outlet effluents before and after land application).

5) All tiled fields to which CAFO wastes have been applied in the prior 30 days shall be visually inspected within 24 hours after the first rain event of one-half inch or greater, for signs of a discharge of CAFO waste. Written descriptions of tile inspection results shall be retained in the Land Application Log. If an inspection reveals a discharge with color, odor, or other characteristics indicative of an unauthorized discharge of CAFO waste, the permittee shall immediately notify the Department of the suspected unauthorized discharge in accordance with the reporting procedures contained in Part II.C.6 and record such findings in the Land Application Log.

6) The permittee shall inspect all land application equipment daily during use for leaks, structural integrity, and proper operation and maintenance. Land application equipment shall be calibrated annually to ensure proper application rates. Written records of inspections and calibrations shall be retained in the Land Application Log.

**c. Maximum Annual Land Application Rates**

The permittee may choose to use the Bray P1 numerical limits or the Michigan Phosphorus Risk Assessment (MPRA) tool (Version 2.0, Nov. 2012) to determine application rates. The permittee must use one system for its entire land application area for the life of the permit. For purposes of this permit, the MPRA is for rate calculations only and "Distance to surface water and/or surface inlets" is interpreted as described in g. below. The permittee shall comply with all of the following maximum annual land application rates:

**PART I****Section B. Nutrient Management Plan****1) Land Application Rate Prohibitions**

All of the following land application rate prohibitions apply.

- a) If the Bray P1 soil test result is 150 parts per million (ppm) or more, CAFO waste applications shall be discontinued until nutrient use by crops reduces the Bray P1 soil test result to less than 150 ppm phosphorus (P) including when MPRA is used.
- b) Fields where the MPRA risk is HIGH, CAFO waste shall not be applied.
- c) The application rate shall not exceed the nitrogen (N) fertilizer recommendation (removal value for legumes) for the first crop year grown after the CAFO waste is applied as specified in b) below.
- d) The application rate shall not exceed four years of P for each of the four crops planned for the next four years as calculated using the formula in b) below.
- e) The total amount of N and P, regardless of source (manure, organic waste, commercial fertilizer, etc.), shall not exceed the first crop year nutrient requirements unless applying multiple crop years of P as allowed in 2) below. However, only one year of N can be applied as stated in c) above, unless samples or other relevant data shows additional N is needed for or will be beneficial to the crop. Documentation justifying additional N must be kept with the farm's CNMP.

**2) Phosphorus Levels**

- a) If the Bray P1 soil test result is 75 ppm P or more, but less than 150 ppm P or a MPRA risk of MEDIUM, application rates shall be based on the maximum rates of P in annual pounds per acre as calculated using the following formula:

The realistic yield goal per acre, using the units specified in the table below, for the planned crop multiplied by the number in the P column for that crop. The maximum annual application rates as calculated above shall be achieved by using the CAFO waste test results for P to determine the amount of CAFO waste that may be land applied per acre per year.

The result is the maximum annual pounds per acre of P that may be applied for the first crop planned after application of CAFO waste. If the one year rate is impractical due to spreading equipment or crop production management, the permittee may apply up to two years of P at one time, but no P may be applied to that field for the second year. The two year P application rate shall be the results calculated using the formula above for each of the two crops planned for the next two years and those two annual results shall be added together to determine the maximum P application rate. In no case may the application rate exceed the N application rate as specified below.

- b) If the Bray P1 soil test result is less than 75 ppm P or a MPRA risk of LOW, the annual rate of CAFO waste application shall not exceed the N fertilizer recommendation (removal value for legumes) for the first crop year grown after the CAFO waste is applied. (Information to determine N fertilizer recommendations or removal values can be found in Michigan State University Extension Bulletin E2904.) In no case may the application rate exceed four years of P calculated using the formula in a) above for each of the four crops planned for the next four years and those four annual results shall be added together to determine the maximum application rate. The maximum annual application rates as calculated above shall be achieved by using the CAFO waste test results for N to determine the amount of CAFO waste that may be land applied per acre per year.

P<sub>2</sub>O<sub>5</sub> values are included for reference purposes.

Crop	Harvest Form	Unit of Realistic Yield Goal per Acre	P	P <sub>2</sub> O <sub>5</sub>
			-- lb/unit of yield --	
Alfalfa	Hay	ton	5.72	13.1
Alfalfa	Haylage	ton	1.41	3.2
Apple	Fruit	ton	0.19	0.44
Asparagus	Shoots	ton	1.1	2.51
Barley	Grain	bushel	0.17	0.38
Barley	Straw	ton	1.41	3.2
Beans (dry edible)	Grain	cwt	0.53	1.2



## PART I

## Section B. Nutrient Management Plan

Beans (green, fresh)	Pods	ton	1.22	2.8
Blueberry	Fruit	ton	0.20	0.46
Bromegrass	Hay	ton	5.72	13
Buckwheat	Grain	bushel	0.11	0.25
Canola	Grain	bushel	0.40	0.91
Carrots	Root	ton	0.79	1.81
Cherries (sour)	Fruit	ton	0.3	0.69
Cherries (sweet)	Fruit	ton	0.37	0.85
Clover	Hay	ton	4.4	10
Clover-grass	Hay	ton	5.72	13
Corn	Grain	bushel	0.16	0.37
Corn	Stover	ton	3.61	8.2
Corn	Silage	ton	1.45	3.3
Corn	Sweet	ton	1.23	2.8
Cucumbers	Fruit	ton	0.47	1.1
Grapes	Fruit	ton	0.26	0.6
Millet	Grain	bushel	0.11	0.25
Mint	Hay	Ton	3.81	8.72
Oats	Grain	bushel	0.11	0.25
Oats	Straw	ton	1.23	2.8
Orchardgrass	Hay	ton	7.48	17
Peaches	Fruit	ton	0.24	0.55
Pears	Fruit	ton	0.23	0.53
Peppers, Green	Fruit	Ton	0.6	1.37
Plums	Fruit	ton	0.2	0.46
Potato	Tubers	cwt	0.06	0.13
Rye	Grain	bushel	0.18	0.41
Rye	Straw	ton	1.63	3.7
Rye	Silage	ton	0.66	1.5
Sorghum	Grain	bushel	0.17	0.39
Sorghum-Sudangrass	Hay	ton	6.6	15
Sorghum-Sudangrass	Haylage	ton	2.02	4.6
Soybean	Grain	bushel	0.35	0.8
Spelts	Grain	bushel	0.17	0.38
Squash	Fruit	ton	0.76	1.74
Sugar beets	Roots	ton	0.57	1.3
Sunflower	Grain	bushel	0.53	1.2
Timothy	Hay	ton	7.48	17
Tomatoes	Fruit	ton	0.57	1.3
Trefoil	Hay	ton	5.28	12
Wheat	Grain	bushel	0.28	0.63
Wheat	Straw	ton	1.45	3.3

Numbers for the tables above for crops not listed above shall be proposed in the permit application in a format similar to the above. The Department will review the proposal and approved numbers will be listed in the COC. The permittee may propose alternate land application rates and methodologies in the permit application. The Department will review the proposal and acceptable rates and methods will be included in the COC issued under this permit.

Methodology and calculations consistent with this Part, and their results, shall be recorded in the Land Application Log.



**PART I****Section B. Nutrient Management Plan****d. Land Application Log**

The results of land application inspections, monitoring, testing, and recordkeeping shall be recorded in a "Land Application Log" which shall be kept up-to-date and kept with the CNMP. Log records shall be kept for a minimum of five years. The permittee shall document in the log in writing, at a minimum, records required by Part I.B.3. and all of the following information and inspection results in the specified document:

- 1) Daily Land Application Record
  - a) The time, date, quantity, method, location, and application rate for each location at which CAFO wastes are land applied
  - b) A written description of weather conditions at the time of application and for 24 hours prior to and following application based on visual observation
  - c) A statement whether the land was frozen or snow-covered at the time of application
- 2) Annual Report Form
  - a) The crop, the realistic yield goal, and actual yield for each location at which CAFO wastes are land applied
  - b) Methodology and calculations showing the total nitrogen and phosphorus to be applied to each field receiving CAFO waste, identifying all sources of nutrients, including sources other than CAFO waste
  - c) The total amount of nitrogen and phosphorus actually applied to each field receiving CAFO waste, irrespective of source, including documentation of calculations for the total amount applied
- 3) Printouts of weather forecasts from the time of land application. Weather forecasts may also be saved as electronic files, in which case the files do not need to be physically located in the Land Application Log, but the log shall reference the location where the files are stored.

**e. Prohibitions**

Appropriate prohibitions, in compliance with the following, shall be included in the CNMP.

- 1) CAFO waste shall not be applied on land that is flooded or saturated with water at the time of land application.
- 2) CAFO waste shall not be applied during rainfall events.
- 3) CAFO waste shall not be surface applied without incorporation to frozen or snow-covered ground, except in accordance with the Department 2005 Technical Standard for the Surface Application of CAFO Waste on Frozen or Snow-Covered Ground Without Incorporation or Injection (last page of this permit) and to fields where the MARI score is Low or Very Low potential for manure movement from the field.
- 4) CAFO waste shall not be transferred to another person (a recipient as described in Part I.C.9.) where such waste will be surface applied without incorporation to frozen or snow-covered ground during the months of January, February or March unless the recipient agrees to follow the Department 2005 Technical Standard for the Surface Application of CAFO Waste on Frozen or Snow-Covered Ground Without Incorporation or Injection (last page of this permit).
- 5) CAFO waste application shall be delayed if rainfall exceeding one-half inch, or less if a lesser rainfall event is capable of producing an unauthorized discharge, is forecasted by the National Weather Service (NWS) during the planned time of application and within 24 hours after the time of the planned application. Forecast models to be used can be found on the internet at <http://www.weather.gov/mdl/synop/products.php>. Model data to be used for one-half inch shall be:  
 GFS MOS (MEX) Text Message by Station Forecast: If the Q24 is 4 and the P24 is 70 or more for the same time period, or the Q24 is 5 or greater (with any P24 number), then CAFO waste land application shall be delayed until the Q24 is less than 4 or both the Q24 is less than 5 and the P24 is less than 70 for the same time period. The station to be used shall be that which is closest to the land application area. If no station is close, then use the closest 2 or 3 stations. Different model data shall be used if it is determined that rainfall less than one-half inch on a particular field is capable of causing an unauthorized discharge. For example, using a Q24 rating of 3 or greater may be appropriate on higher risk fields. If the NWS Web site is revised and the required forecast models are not available, the permittee shall contact the Department for information on which forecast models to use. Instructions for using this Web site are available from the Department. Other forecast services may be used upon approval of the Department.



**PART I****Section B. Nutrient Management Plan****f. Methods**

CAFO waste shall be subsurface injected or incorporated into the soil within 24 hours of application. CAFO waste subsurface injected into frozen or snow-covered ground shall have substantial soil coverage of the applied CAFO waste. The following exceptions apply:

- 1) Injection or incorporation may not be feasible where CAFO wastes are applied to pastures, perennial crops such as alfalfa, wheat stubble, or where no-till practices are used. CAFO waste may be applied to pastures or perennial crops such as alfalfa, wheat stubble, or where no-till practices are used, only if the CAFO waste will not enter waters of the state. CAFO waste shall not be applied if the waste may enter waters of the state.
- 2) On ground that is frozen or snow-covered, CAFO waste may be surface applied and not incorporated within 24 hours only if there is a field-by-field demonstration, in accordance with the Department 2005 Technical Standard for the Surface Application of CAFO Waste on Frozen or Snow-Covered Ground Without Incorporation or Injection (last page of this permit), showing that such land application will not result in a situation where CAFO waste may enter waters of the state. Demonstrations shall be kept with the Land Application Log and submitted to the Department prior to use of the field. CAFO waste surface applied to ground that is frozen or snow-covered shall be limited to no more than 1 crop year of P per winter season, including pastures, perennial crops such as alfalfa, wheat stubble, or where no-till practices are used.

**g. Setbacks**

The permittee shall comply with any of the following setback requirements:

- 1) CAFO waste shall not be applied closer than 100 feet to any ditches that are conduits to surface waters, surface waters except for up-gradient surface waters, open tile line intake structures, sinkholes, or agricultural well heads.
- 2) The permittee may substitute the 100-foot setback required in 1) above, with a 35-foot wide vegetated buffer. CAFO waste shall not be applied within the 35-foot buffer.
- 3) CAFO waste shall not be applied within grassed waterways and swales that are conduits to surface waters.

Setbacks shall be measured from the ordinary high water mark, where applicable, or from the upper edge of the bank if the ordinary high water mark cannot be determined. Setbacks for each field shall be shown on the CNMP field maps.

**h. Non-Production Area Storm Water Management**

The permittee shall implement practices including preventative maintenance, good housekeeping, and periodic inspections of at least once per year, to minimize and control pollutants in storm water discharges associated with the following areas:

- 1) Immediate access roads and rail lines used or traveled by carriers of raw materials, waste material, or by-products used or created by the facility
- 2) Sites used for handling material other than CAFO waste including new sand to be used as bedding (not sand previously used as bedding)
- 3) Refuse sites
- 4) Sites used for the storage and maintenance of material handling equipment
- 5) Shipping and receiving areas

Records and descriptions of non-production area storm water management practices shall be kept in the CNMP.

**4. Comprehensive Nutrient Management Plan (CNMP)**

The CNMP shall apply to both production areas and land application areas and shall be a written document that describes the practices, methods, and actions the permittee takes to meet all of the requirements of the Nutrient Management Plan, Part I.B.

**a. Approval**

The CNMP shall be approved by a Certified CNMP Provider.

**PART I****Section B. Nutrient Management Plan****b. Submittal**

The CNMP shall be submitted to the Department with the application for coverage under this permit. The permittee is encouraged to submit all or parts of the CNMP in electronic form. Electronic form means a digital file in a standard, common format provided on a compact disc or other media readily readable by a Windows-based personal computer.

**c. Contents**

The CNMP submitted to the Department shall include all of the information and requirements specified in the NMP Section, Part I.B. and a map of the production area that includes all of the items specified in the permit application and that shows all clean water and production area waste flow paths, pipes, control structures, valves, etc.

**d. Annual Review and Report**

The permittee shall annually review the CNMP and update the CNMP as necessary to meet the requirements of Part I.B.

The permittee shall submit an annual report for the preceding January 1 through December 31 (reporting period) to the Department by April 1 of each year. The annual report shall be submitted on a form provided by the Department. The annual report shall include, but is not limited to, all of the following:

- 1) The average number of animals, maximum number of animals at any one time, and the type of animals, whether in open confinement or housed under roof (beef cattle, broilers, layers, swine weighing 55 pounds or more, swine weighing less than 55 pounds, mature dairy cows, dairy heifers, veal calves, sheep and lambs, horses, ducks, turkeys, other)
- 2) Estimated amount of total CAFO waste generated by the CAFO during the reporting period (tons or gallons)
- 3) Estimated amount of total CAFO waste transferred to other persons (manifested waste) by the CAFO during the reporting period (tons or gallons)
- 4) Total number of acres for land application covered by the CNMP developed in accordance with this permit
- 5) Total number of acres under control of the CAFO that were used for land application of CAFO waste during the reporting period
- 6) A field-specific spreading plan which identifies where and how much CAFO waste will be applied to fields for the upcoming 12 months, what crops will be grown on those fields, and the realistic crop yield goals of those crops. The plan must account for all CAFO waste expected to be generated in the upcoming 12 months including waste to be transferred under manifest.
- 7) The following land application records for the reporting period for each field harvested during the reported period which utilized nutrients from previously-applied CAFO waste: actual crops planted, crop yield goals, actual crop yields, actual N and P content of land-applied CAFO waste, calculations conducted and data used in accordance with Part I.B.3.c., quantity of CAFO waste land applied (application rate), soil testing results, the amount of any supplemental fertilizer applied, N credits from previous crops, total amount of N and P applied (all sources), and the basis for the application rate.
- 8) A statement indicating whether the current version of the CAFO's CNMP was developed or approved by a certified CNMP provider
- 9) A summary of all CAFO waste discharges from the production area that have occurred during the reporting period, including date, time, and approximate volume
- 10) The retained self-monitoring certification as required by Part II.C.3

**e. CNMP Revisions**

Prior to a significant change in the operation of the CAFO, whenever there is an unauthorized discharge (see Parts I.A.1. and I.A.3.) where future discharges could be prevented by revisions to the CNMP, or if the Department determines that the CNMP is inadequate in preventing pollution, the CNMP shall be revised and the revisions approved by a Certified CNMP Provider. Within ninety (90) days of a significant change, an unauthorized discharge, or a Department-requested revision; the revised portions of the CNMP shall be submitted to the Department with a copy of the Certified CNMP Provider certification that the revised CNMP has been approved. Revisions to the CNMP, especially due to a significant change, may result in a permit modification, after opportunity for public comment.



**PART I****Section B. Nutrient Management Plan**

Significant change includes, but is not limited to, any of the following:

- 1) An increase in the number of animals that results in a greater than or equal to 10 percent increase in the volume of either the manure alone or the total CAFO waste generated per year as compared to the volumes identified in the application, as a cumulative total over the life of the COC
- 2) An increase in the number of animals that results in a decrease in the waste storage capacity time, as identified in the application, by 10 percent or greater, as a cumulative total over the life of the COC
- 3) An increase in the number of animals, where the CAFO waste generated by the livestock requires more land for its application than is available at the time of the increase
- 4) A decrease in the number of acres available for land application, where the CAFO waste generated requires more land for application than will be available after the decrease
- 5) The construction of a new animal housing facility or waste storage facility

**PART I****Section C. Other Requirements****1. Reporting of Overflows and Discharges from CAFO Waste Storage Structures and Land Application**

If, for any reason, there is an overflow from CAFO waste storage structures and/or a discharge of pollutants to a surface water of the state from CAFO waste storage structures, production areas, or land application areas, the permittee shall report the overflow and/or discharge to the Department in accordance with the reporting procedures contained in Part II.C.6. Discharges to surface waters shall also be reported to the Clerk of the local unit of government and the County Health Department. In addition, the permittee shall keep a copy of the report together with the approved CNMP. The report shall include all of the following information:

- a. A description of the overflow and/or discharge and its cause, including a description of the flow path to the surface water of the state
- b. The period of overflow and/or discharge, including exact dates and times, the anticipated time it is expected to continue, and steps taken or planned to reduce, eliminate, and prevent recurrence of the overflow and/or discharge
- c. Monitoring results as required by Part I.A.2
- d. In the event of a discharge through tile lines, the permittee shall identify and document, for field(s) from which the discharge occurred, the location of tile and depth of tile. The permittee shall also document field conditions at the time of the discharge, determine why the discharge occurred, and how to prevent future discharges.
- e. If the permittee believes that the discharge is an authorized discharge, then the permittee shall include a demonstration that the discharge meets the requirements of Part I.A. 1.a. and/or Part I.A.1.b., as appropriate.

**2. Construction of New Waste Storage Structures or Facilities**

Before the construction or alteration of a waste storage structure, facility, or portions thereof, written notification shall be submitted to the Department. New waste storage and transfer structures shall be built to NRCS 313 2014 standard. Complete as-built plans, specifications, drawings, etc. shall be kept at the farm with the CNMP. As-built plans must be signed and stamped by a licensed professional engineer and state that the structure was built to the NRCS 313 2014 standard. Signed and stamped design drawings do not constitute as-built plans. Required supporting documentation may include soils reports documenting suitability of liner material, groundwater investigations reports, pictures, survey notes, concrete batch tickets, etc.

**3. Closure of Structures and Facilities**

The following conditions shall apply to the closure of lagoons, CAFO waste storage structures, earthen or synthetic lined basins, other manure and wastewater facilities, and silage facilities (collectively referred to as "structure(s)" for the remainder of this Part):

No structure shall be permanently abandoned. Structures shall be maintained at all times until closed in compliance with this section. All structures must be properly closed if the permittee ceases operation. In addition, any structure that is not in use for a period of twelve (12) consecutive months must be properly closed, unless the permittee intends to resume use of the structure at a later date and either: (a) maintains the structure as though it were actively in use, to prevent compromise of structural integrity and assure compliance with final effluent limitations, or (b) removes CAFO waste to a depth of one foot or less and refills the structure with clean water to preserve the integrity of the synthetic or earthen liner. In either case, the permittee shall conduct routine inspections, maintenance, and recordkeeping in compliance with this permit as though the structure were in use. The permittee shall notify the Department in writing prior to closing structures, or upon making a determination that the structures will be maintained as specified in (a) or (b) above. Prior to restoration of the use of the structure, the permittee shall notify the Department in writing and provide the opportunity for inspection.

The permittee shall accomplish closure by removing all waste materials to the maximum extent practicable. This shall include agitation and the addition of clean water as necessary to remove the waste materials. The permittee shall utilize as guidance the closure techniques contained in NRCS Conservation Practice Standard No. 360, Waste Facility Closure. All removed materials shall be utilized or disposed of in accordance with the permittee's approved CNMP, unless otherwise authorized by the Department.



## PART I

### Section C. Other Requirements

Unless the structure is being maintained for possible future use in accordance with the requirements above, completion of closure for structures shall occur as promptly as practicable after the permittee ceases to operate or, if the permittee has not ceased operations, 12 months from the date on which the use of the structure ceased, unless otherwise authorized by the Department.

#### 4. Standards, Specifications and Practices

The published standards, specifications, and practices referenced in this permit are those which are in effect upon the effective date of this permit, unless otherwise provided by law. NRCS Conservation Practice Standards referred to in this permit are currently contained in Section IV, Conservation Practices and Michigan Construction Specifications, of the Michigan NRCS Field Office Technical Guide.

#### 5. Facility Contact

The "Facility Contact" was specified in the application. The permittee may replace the facility contact at any time, and shall notify the Department in writing within 10 days after replacement (including the name, address, and telephone number of the new facility contact). The Department shall be notified in writing within 10 days after a change in any of the contact information (such as address or telephone number) from what was specified in the application.

- a. The facility contact shall be any of the following (or a duly authorized representative of this person):
  - For a corporation or a company, a principal executive officer of at least the level of vice president, or a designated representative, if the representative is responsible for the overall operation of the facility from which the discharge described in the permit application or other NPDES form originates
  - For a partnership, a general partner
  - For a sole proprietorship, the proprietor
  - For a municipal, state, or other public facility, either a principal executive officer, the mayor, village president, city or village manager or other duly authorized employee
- b. A person is a duly authorized representative only if both of the following requirements are met:
  - The authorization is made in writing to the Department by a person described in paragraph a. of this section.
  - The authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility or activity such as the position of plant manager, operator of a well or a well field, superintendent, position of equivalent responsibility, or an individual or position having overall responsibility for environmental matters for the facility (a duly authorized representative may thus be either a named individual or any individual occupying a named position).

Nothing in this section obviates the permittee from properly submitting reports and forms as required by law.

#### 6. Expiration and Reissuance

On or before October 1, 2019, a permittee seeking continued authorization under this permit beyond the permit's expiration date shall submit to the Department a written application containing such information, forms, and fees as required by the Department. Without an adequate application, a permittee's authorization will expire on April 1, 2020. With an adequate application, a permittee shall continue to be subject to the terms and conditions of the expired permit until the Department takes action on the application, unless this permit is terminated or revoked. However, the permittee need not seek continued permit coverage or reapply for a permit if both of the following apply:

- a. The facility has ceased operation or is no longer a CAFO.
- b. The permittee has demonstrated to the satisfaction of the Department that there is no remaining potential for a discharge of CAFO waste that was generated while the operation was a CAFO.

If this permit is terminated or revoked, all authorizations to discharge under the permit shall expire on the date of termination or revocation.

If this permit is modified, the Department will notify the permittee of any required action. Without an adequate response, a permittee's authorization to discharge will terminate on the effective date of the modified permit.

**PART I****Section C. Other Requirements**

With an adequate response, a permittee shall be subject to the terms and conditions of the modified permit on the effective date of the modified permit unless the Department notifies the permittee otherwise.

If the facility has ceased operation or is no longer a CAFO, the permittee shall request termination of authorization under this permit.

**7. Compliance Dates for Existing Permittees**

Compliance dates and associated requirements for permittees covered under the version of this permit issued March 30, 2010, shall be carried over, shall remain in effect, and shall be specified in COCs issued under this permit, unless the Department modifies the compliance date in the reissued COC.

**8. Requirement to Obtain Individual Permit**

The Department may require any person who is authorized to discharge by a COC and this permit to apply for and obtain an individual NPDES permit if any of the following circumstances apply:

- a. the discharge is a significant contributor to pollution as determined by the Department on a case-by-case basis
- b. the discharger is not complying, or has not complied, with the conditions of the permit
- c. a change has occurred in the availability of demonstrated technology or practices for the control or abatement of waste applicable to the point source discharge
- d. effluent standards and limitations are promulgated for point source discharges subject to this permit, or
- e. the Department determines that the criteria under which the permit was issued no longer apply.

Any person may request the Department to take action pursuant to the provisions of Rule 2191 (Rule 323.2191 of the Michigan Administrative Code).

**9. Requirements for Land Application Not Under the Control of the CAFO Permittee**

In cases where CAFO waste is sold, given away, or otherwise transferred to another person (recipient) such that the land application of that CAFO waste is no longer under the operational control of the CAFO owner or operator that generates the CAFO waste (generator), a manifest shall be completed and used to track the transfer and use of the CAFO waste.

- a. Prior to transfer of the CAFO waste, the CAFO owner or operator shall do all of the following:
  - 1) Prepare a manifest for tracking the CAFO waste before transferring the CAFO waste
  - 2) Designate on the manifest the recipient of the CAFO waste
- b. The generator shall use a manifest form which is approved by the Department and which provides for the recording of all of the following information:
  - 1) A manifest document number
  - 2) The generator's name, mailing address, and telephone number
  - 3) The name and address of the recipient of the CAFO waste
  - 4) The nutrient content of the CAFO waste to be transferred, in sufficient detail to determine the appropriate land application rates
  - 5) The total quantity, by units of weight or volume, and the number and size of the loads or containers used to transfer that quantity of CAFO waste
  - 6) A statement that informs the recipient of his/her responsibility to properly manage the land application of the CAFO waste as necessary to assure there is no illegal discharge of pollutants to waters of the state
  - 7) The following certification by the generator: "I hereby declare that the CAFO waste is accurately described above and is suitable for land application"
  - 8) Other certification statements as may be required by the Department
  - 9) The address or other location description of the site or sites used by the recipient for land application or other disposal or use of the CAFO waste
  - 10) Signatures of the generator and recipient with dates of signature
- c. The generator shall do all of the following with respect to the manifest:
  - 1) Sign and date the manifest certification prior to transfer of the CAFO waste.
  - 2) Obtain a dated signature of the recipient on the manifest and the date of acceptance of the CAFO waste.



**PART I****Section C. Other Requirements**

- 3) Retain a copy of the signed manifest.
- 4) Provide a signed copy to the recipient.
- 5) Advise the recipient of his or her responsibilities to complete the manifest and, if not completed at time of delivery, return a copy to the generator within 30 days after completion of the land application or other disposal or use of the CAFO waste.
- d. One manifest may be used for multiple loads or containers of the same CAFO waste transferred to the same recipient. The manifest shall list separately each address or location used by the recipient for land application or other disposal or use of the CAFO waste. Each different address or location listing shall include the quantities of CAFO waste transferred to that location and dates of transfer.
- e. The generator shall not sell, give away, or otherwise transfer CAFO waste to a recipient if any of the following are true:
  - 1) The recipient fails or refuses to provide accurate information on the manifest in a timely manner.
  - 2) The use or disposal information on the manifest indicates improper land application, use, or disposal.
  - 3) The generator learns that there has been improper land application, use, or disposal of the manifested CAFO waste.
  - 4) The generator has been advised by the Department that the Department or a court of appropriate jurisdiction has determined that the recipient has improperly land applied, used, or disposed of a manifested CAFO waste.
- f. If the generator has been prohibited from selling, giving, or otherwise transferring CAFO waste to a particular recipient under Part I.C.9.e, above, and the generator wishes to resume selling, giving, or otherwise transferring CAFO waste to that particular recipient, then one of the following shall be accomplished:
  - 1) For improper paperwork only, such as incomplete or inaccurate information on the manifest, the recipient must provide the correct, complete information.
  - 2) For improper land application, use, or disposal of the CAFO waste by the recipient, the generator must demonstrate, in writing, to the Department that the improper land application, use, or disposal has been corrected, and the Department has provided approval of the demonstration.
- g. All manifests shall be kept on-site with the CAFO owner or operator's CNMP for a minimum of five years and made available to the Department upon request.
- h. The requirements of Part I.C.9. do not apply to quantities of CAFO waste less than one pickup truck load, one cubic yard, or one ton per recipient per day.

**10. Water Quality Impaired Waters**

- a. Nitrogen or Phosphorus Impairment

The Department expects that full compliance with the conditions of this permit will allow the permittee to meet the pollutant loading capacity(ies) set forth for nitrogen or phosphorus in an approved Total Maximum Daily Load (TMDL).
- b. *Escherichia coli*, Biota, Dissolved Oxygen Impairment

The permittee's COC will indicate if the permittee's production area or land application areas are located within a watershed(s) covered by an approved *E. coli*, biota, or dissolved oxygen TMDL. The Department will develop and publish guidance regarding how to evaluate operations and determine additional pollutant control measures. After the guidance is published, the permittee shall complete the following actions within 15 months of receiving notification from the Department:

  - 1) Conduct a comprehensive evaluation of its operations.
  - 2) Determine whether additional pollutant control measures need to be identified and implemented to meet the permittee's pollutant loading (or "concentration" in the case of *E. coli*) capacity(ies) set forth in the approved TMDL.
  - 3) Submit a written report to the Department based on one of the following:
    - a) If the permittee determines that the pollutant loading or concentration capacity(ies) established in the approved TMDL is not being exceeded, then the written report submitted to the Department shall justify that determination, or

**PART I****Section C. Other Requirements**

- b) If the permittee determines that the pollutant loading or concentration capacity(ies) established in the approved TMDL is being exceeded, then the written report submitted to the Department shall identify additional pollutant control measures that need to be implemented by the permittee to achieve compliance with the pollutant loading capacity(ies) established in the approved TMDL. The permittee's written report shall also include an implementation schedule for each identified additional pollutant control measure.

Upon approval of the Department, and if the written report identifies needed additional pollutant control measures, the permittee shall implement the additional pollutant control measures according to the schedule. The approved written report detailing the additional pollutant control measures and the associated implementation schedule shall be included in the CNMP and shall be an enforceable part of this permit.

**11. Treatment System**

The CAFO may include an anaerobic digester-based treatment system. The application for coverage under this permit shall include a description of the construction and operation of the anaerobic digester-based treatment system, including a schematic or flow diagram of the process, a listing of all outside materials (non-CAFO waste) to be added to the digester, the percentage input to the digester comprised of outside materials, and a contingency plan in the event of system failures including computer malfunctions. The contingency plan shall address the actions to be taken by the permittee if the digester-based treatment system must be by-passed for any reason, including handling and storage of partially-digested contents.

Up to 20 percent of outside materials may be added to the digester to enhance operation. Quantities above 5 percent will be listed in the COC issued under this permit. The Department may prohibit the use of certain outside materials. The permittee shall keep with the CNMP the quantities and identity of outside materials added to the digester. Outside materials not listed in the application shall not be added to the digester without prior approval from the Department. The outputs from the treatment system shall be stored and managed in accordance with the permit. The digester shall be operated consistently with the information provided in the application for coverage under this permit.

**12. Document Availability**

Copies of all documents required by this permit, including the CNMP, Land Application Log, inspection records, etc., shall be kept at the permitted farm and made available to the Department upon request.



## PART II

Part II may include terms and /or conditions not applicable to discharges covered under this permit.

### Section A. Definitions

**Animal Feeding Operation (AFO)** means a lot or facility that meets both of the following conditions:

1. Animals, other than aquatic animals, have been, are, or will be stabled or confined and fed or maintained for a total of 45 calendar days or more in any 12-month period
2. Crops, vegetation, forage growth, or post-harvest residues are not sustained in the normal growing season over the portion of the lot or facility where animals are confined

Two or more AFOs under common ownership are considered to be a single AFO if they adjoin each other or if they use a common area or system for the disposal of wastes. Common area includes land application areas.

**Concentrated Animal Feeding Operation (CAFO)** means any AFO that requests coverage under the permit for which the Department determines that this permit is appropriate for the applicant's operation. A CAFO includes both production areas and land application areas.

**CAFO Process Wastewater** means water directly or indirectly used in the operation of a CAFO for any of the following:

1. Spillage or overflow from animal or poultry watering systems
2. Washing, cleaning, or flushing pens, barns, manure pits, or other AFO facilities
3. Direct contact swimming, washing, or spray cooling of animals
4. Dust control
5. Any water which comes into contact with, or is a constituent of, any raw materials, products, or byproducts, including manure, litter, feed, milk, eggs, or bedding

**CAFO Waste** means CAFO process wastewater, manure, production area waste, effluents from the properly and successfully operated treatment system, or any combination thereof.

**Certificate of Coverage (COC)** is a document, issued by the Department, which authorizes a discharge under a general permit.

**Certified CNMP Provider** is a person that attains and maintains certification requirements through a program approved by the United States Department of Agriculture Natural Resources Conservation Service (NRCS).

**CNMP** means Comprehensive Nutrient Management Plan and is the plan developed by the permittee to implement the requirements of the NMP.

**Department** means the Michigan Department of Environmental Quality.

**Discharge** as used in this permit means the addition of any waste, waste effluent, wastewater, pollutant, or any combination thereof to any surface water of the state.

**Grassed Waterway** means a natural or constructed channel for storm water drainage that originates and is located within a field used for growing crops, and that is used to carry surface water at a non-erosive velocity to a stable outlet and is established with suitable and adequate permanent vegetation.

**Incorporation** means a mechanical operation that physically mixes the surface-applied CAFO waste into the soil so that a significant amount of the surface-applied CAFO waste is not present on the land surface within one hour after mixing. Incorporation also means the soaking into the soil of "liquids being used for irrigation water" such that liquids and significant solid residues do not remain on the land surface. "Liquids being used for irrigation water" are contaminated runoff, milk house waste, or liquids from CAFO waste treated to separate liquids and solids. "Liquids being used for irrigation water" does not include untreated liquid manures.

**Land Application** means spraying or spreading of biosolids, CAFO waste, wastewater and/or derivatives onto the land surface, injecting below the land surface, or incorporating into the soil so that the biosolids, CAFO waste, wastewater and/or derivatives can either condition the soil or fertilize crops or vegetation grown in the soil.

**Land Application Area** means land under the control of an AFO owner or operator, whether it is owned, rented, leased, or subject to an access agreement to which CAFO waste is or may be applied. Land application area includes land not owned by the AFO owner or operator but where the AFO owner or operator has control of the land application of CAFO waste.

## PART II

### Section A. Definitions

**Large CAFO** is an AFO that stables or confines as many as or more than the numbers of animals specified in any of the following categories:

1. 700 mature dairy cattle (whether milked or dry cows)
2. 1,000 veal calves
3. 1,000 cattle other than mature dairy cows or veal calves. Cattle include heifers, steers, bulls, calves, and cow/calf pairs
4. 2,500 swine each weighing 55 pounds or more
5. 10,000 swine each weighing less than 55 pounds
6. 500 horses
7. 10,000 sheep or lambs
8. 55,000 turkeys
9. 30,000 laying hens or broilers, if the AFO uses a liquid manure handling system
10. 125,000 chickens (other than laying hens), if the AFO uses other than a liquid manure handling system
11. 82,000 laying hens, if the AFO uses other than a liquid manure handling system

Large CAFOs are required to obtain NPDES permits under Michigan Rule No. 323.2196.

**Manure** means animal excrement and is defined to include bedding, compost, and raw materials, or other materials commingled with animal excrement or set aside for disposal.

**Maximum Annual Phosphorus Land Application Rate** means the maximum quantity, per calendar year, of phosphorus (usually expressed in pounds per acre) that is allowed to be applied to crop fields where CAFO waste is spread, including the phosphorus contained in the CAFO waste.

**MGD** means million gallons per day.

**New CAFO** means a CAFO that is newly built and was not in production (i.e., animals were not on site) prior to January 30, 2004. New CAFO also means existing facilities where, due to expansion in production, the process or production equipment is totally replaced or new processes are added that are substantially independent of an existing source at the same site, after February 27, 2004. This does not include replacement due to acts of God or upgrades in technology that serve the existing production. This definition does not apply to "New" as used for swine, poultry, and veal facilities in Part I.B.1.a.2) on page 6.

**NMP** means Nutrient Management Plan and is the section in the permit that sets forth requirements and conditions to assure that water quality standards are met.

**No Till Practices** means where the field will not receive tillage from time of land application until after harvest of the next crop.

**NRCS** means the Natural Resources Conservation Service of the United States Department of Agriculture.

**NRCS 313 (date)** means the NRCS Michigan Statewide Technical Guide, Section IV, Conservation Practice No. 313, Waste Storage Facility, dated either June 2003, November 2005 or August 2014.

**Overflow** means a release of CAFO waste resulting from the filling of CAFO waste storage structures beyond the point at which no more CAFO waste or storm water can be contained by the structure.

**Pasture Land** is land that is primarily used for the production of forage upon which livestock graze. Pasture land is characterized by a predominance of vegetation consisting of desirable forage species. Sites such as loafing areas, confinement areas, or feedlots which have livestock densities that preclude a predominance of desirable forage species are not considered pasture land. Heavy-use areas within pastures adjacent to, or associated with, the CAFO are part of the pasture and are not part of the production area. Examples of heavy-use areas include livestock travel lanes and small areas immediately adjacent to feed and watering stations.

**Perennial** means a plant that has a life cycle of more than two years.



## PART II

### Section A. Definitions

**Production Area** is the portion of the CAFO that includes all areas used for animal product production activities. This includes, but is not limited to: the animal confinement area, the manure storage area, the raw materials storage area, and the waste containment areas. The animal confinement area includes open lots, housed lots, feedlots, confinement houses, stall barns, free stall barns, milk rooms, milking centers, cow yards, barnyards, medication pens, walkers, animal walkways (not within pasture areas), and stables. The manure storage area includes lagoons, runoff ponds, storage sheds, stockpiles, under-house or pit storages, liquid impoundments, static piles, and composting piles. The raw materials storage area includes feed silos, silage bunkers, and bedding materials [new sand to be used as bedding (not sand previously used as bedding) is excluded from this definition]. The waste containment area includes settling basins and areas within berms and diversions which separate uncontaminated storm water. Also included in the definition of "production area" is any egg washing or egg processing facility and any area used in the storage, handling, treatment, or disposal of mortalities. Production areas do not include pasture lands or land application areas.

**Production Area Waste** means manure and any waste from the production area and any precipitation (e.g., rain or snow) which comes into contact with, or is contaminated by, manure or any of the components listed in the definition for "production area." Production area waste also includes contaminated runoff from digester and treatment system areas. Production area waste does not include clean water that is diverted nor does it include water from land application areas.

**Realistic Crop Yield Goals** means expected crop yields based on soil productivity potential, the crop management practices utilized, and crop yield records for multiple years for the field. Yield goals shall be adjusted to counteract unusually low or high yields. When a field's history is not available, another referenced source shall be used to estimate yield goal. A realistic crop yield goal is one which is achievable in three out of five crop years. If the goal is not achieved in at least three out of five years, then the goal shall be re-evaluated and revised.

**Regional Administrator** is the Region 5 Administrator, United States Environmental Protection Agency (USEPA), located at R-19J, 77 West Jackson Boulevard, Chicago, Illinois 60604.

**Silage Leachate** means a liquid, containing organic constituents, that results from the storage of harvested plant materials, which usually has a high water content.

**Solid Stackable Manure** means manure and manure mixed with bedding that can be piled up or stacked and will maintain a piled condition. It will also have the characteristic that it can be shoveled with a pitchfork.

**Swale** means a shallow, channel-like, linear depression within a field used for growing crops that is at a low spot on a hillslope and is used to transport storm water. It may or may not be vegetated.

**Waste Storage Structure** means both pond-type storage structures and fabricated storage structures.

**Tile** means a conduit, such as corrugated plastic tubing, tile, or pipe, installed beneath the ground surface to collect and/or convey drainage water.

**Vegetated Buffer** means a narrow, permanent strip of dense perennial vegetation, established parallel to the contours of and perpendicular to the dominant slope of the field, for the purposes of slowing water runoff, enhancing water infiltration, and minimizing the risk of any potential nutrients or pollutants from leaving the field and reaching surface waters.

**Water Quality Standards** means the Part 4 Water Quality Standards developed under Part 31 of Act No. 451 of the Public Acts of 1994, as amended, being Rules 323.1041 through 323.1117 of the Michigan Administrative Code.

**25-year, 24-hour rainfall event** or **100-year, 24-hour rainfall event** means the maximum 24-hour precipitation event with a probable recurrence interval of once in 25 years or 100 years, respectively, as defined by the "Rainfall Frequency Atlas of the Midwest," Huff and Angel, Illinois State Water Survey, Champaign, Bulletin 71, 1992, and subsequent amendments, or equivalent regional or state rainfall probability information developed there from.

## PART II

### Section B. Monitoring Procedures

#### 1. Representative Samples

Samples and measurements taken as required herein shall be representative of the volume and nature of the monitored discharge.

#### 2. Test Procedures

Test procedures for the analysis of pollutants shall conform to regulations promulgated pursuant to Section 304(h) of the Federal Act (40 CFR Part 136 – Guidelines Establishing Test Procedures for the Analysis of Pollutants), unless specified otherwise in this permit. **Test procedures used shall be sufficiently sensitive to determine compliance with applicable effluent limitations.** Requests to use test procedures not promulgated under 40 CFR Part 136 for pollutant monitoring required by this permit shall be made in accordance with the Alternate Test Procedures regulations specified in 40 CFR 136.4. These requests shall be submitted to the Chief of the Permits Section, Water Resources Division, Michigan Department of Environmental Quality, P.O. Box 30458, Lansing, Michigan, 48909-7958. The permittee may use such procedures upon approval.

The permittee shall periodically calibrate and perform maintenance procedures on all analytical instrumentation at intervals to ensure accuracy of measurements. The calibration and maintenance shall be performed as part of the permittee's laboratory Quality Control/Quality Assurance program.

#### 3. Instrumentation

The permittee shall periodically calibrate and perform maintenance procedures on all monitoring instrumentation at intervals to ensure accuracy of measurements.

#### 4. Recording Results

For each measurement or sample taken pursuant to the requirements of this permit, the permittee shall record the following information: 1) the exact place, date, and time of measurement or sampling; 2) the person(s) who performed the measurement or sample collection; 3) the dates the analyses were performed; 4) the person(s) who performed the analyses; 5) the analytical techniques or methods used; 6) the date of and person responsible for equipment calibration; and 7) the results of all required analyses.

#### 5. Records Retention

All records and information resulting from the monitoring activities required by this permit including all records of analyses performed and calibration and maintenance of instrumentation and recordings from continuous monitoring instrumentation shall be retained for a minimum of three (3) years, or longer if requested by the Regional Administrator or the Department.



**PART II****Section C. Reporting Requirements****1. Start-up Notification**

If the permittee will not discharge during the first 60 days following the effective date of this permit, the permittee shall notify the Department within 14 days following the effective date of this permit, and then 60 days prior to the commencement of the discharge.

**2. Submittal Requirements for Self-Monitoring Data**

Part 31 of the NREPA, specifically Section 324.3110(3) and R 323.2155(2) of Part 21, allows the Department to specify the forms to be utilized for reporting the required self-monitoring data. Unless instructed on the effluent limitations page to conduct "Retained Self-Monitoring" the permittee shall submit self-monitoring data via the Department's Electronic Environmental Discharge Monitoring Reporting (e2-DMR) system.

The permittee shall utilize the information provided on the e2-Reporting website at <https://secure1.state.mi.us/e2rs/> to access and submit the electronic forms. Both monthly summary and daily data shall be submitted to the Department no later than the 20<sup>th</sup> day of the month following each month of the authorized discharge period(s). The permittee may be allowed to submit the electronic forms after this date if the Department has granted an extension to the submittal date.

**3. Retained Self-Monitoring Requirements**

If instructed on the effluent limits page (or otherwise authorized by the Department in accordance with the provisions of this permit) to conduct retained self-monitoring, the permittee shall maintain a year-to-date log of retained self-monitoring results and, upon request, provide such log for inspection to the staff of the Department. Retained self-monitoring results are public information and shall be promptly provided to the public upon request.

The permittee shall certify, in writing, to the Department, on or before January 10th (April 1st for animal feeding operation facilities) of each year, that: 1) all retained self-monitoring requirements have been complied with and a year-to-date log has been maintained; and 2) the application on which this permit is based still accurately describes the discharge. With this annual certification, the permittee shall submit a summary of the previous year's monitoring data. The summary shall include maximum values for samples to be reported as daily maximums and/or monthly maximums and minimum values for any daily minimum samples.

Retained self-monitoring may be denied to a permittee by notification in writing from the Department. In such cases, the permittee shall submit self-monitoring data in accordance with Part II.C.2., above. Such a denial may be rescinded by the Department upon written notification to the permittee. Reissuance or modification of this permit or reissuance or modification of an individual permittee's authorization to discharge shall not affect previous approval or denial for retained self-monitoring unless the Department provides notification in writing to the permittee.

**4. Additional Monitoring by Permittee**

If the permittee monitors any pollutant at the location(s) designated herein more frequently than required by this permit, using approved analytical methods as specified above, the results of such monitoring shall be included in the calculation and reporting of the values required in the Discharge Monitoring Report. Such increased frequency shall also be indicated.

Monitoring required pursuant to Part 41 of the NREPA or Rule 35 of the Mobile Home Park Commission Act (Act 96 of the Public Acts of 1987) for assurance of proper facility operation shall be submitted as required by the Department.

**PART II****Section C. Reporting Requirements****5. Compliance Dates Notification**

Within 14 days of every compliance date specified in this permit, the permittee shall submit a *written* notification to the Department indicating whether or not the particular requirement was accomplished. If the requirement was not accomplished, the notification shall include an explanation of the failure to accomplish the requirement, actions taken or planned by the permittee to correct the situation, and an estimate of when the requirement will be accomplished. If a written report is required to be submitted by a specified date and the permittee accomplishes this, a separate written notification is not required.

**6. Noncompliance Notification**

Compliance with all applicable requirements set forth in the Federal Act, Parts 31 and 41 of the NREPA, and related regulations and rules is required. All instances of noncompliance shall be reported as follows:

- a. **24-Hour Reporting**  
Any noncompliance which may endanger health or the environment (including maximum and/or minimum daily concentration discharge limitation exceedances) shall be reported, verbally, within 24 hours from the time the permittee becomes aware of the noncompliance. A written submission shall also be provided within five (5) days.
- b. **Other Reporting**  
The permittee shall report, in writing, all other instances of noncompliance not described in a. above at the time monitoring reports are submitted; or, in the case of retained self-monitoring, within five (5) days from the time the permittee becomes aware of the noncompliance.

Written reporting shall include: 1) a description of the discharge and cause of noncompliance; and 2) the period of noncompliance, including exact dates and times, or, if not yet corrected, the anticipated time the noncompliance is expected to continue, and the steps taken to reduce, eliminate and prevent recurrence of the noncomplying discharge.

**7. Spill Notification**

The permittee shall immediately report any release of any polluting material which occurs to the surface waters or groundwaters of the state, unless the permittee has determined that the release is not in excess of the threshold reporting quantities specified in the Part 5 Rules (R 324.2001 through R 324.2009 of the Michigan Administrative Code), by calling the Department at the number indicated on the second page of this permit (or, if this is a general permit, on the COC); or, if the notice is provided after regular working hours, call the Department's 24-hour Pollution Emergency Alerting System telephone number, 1-800-292-4706 (calls from **out-of-state** dial 1-517-373-7660).

Within ten (10) days of the release, the permittee shall submit to the Department a full written explanation as to the cause of the release, the discovery of the release, response (clean-up and/or recovery) measures taken, and preventative measures taken or a schedule for completion of measures to be taken to prevent reoccurrence of similar releases.



**PART II****Section C. Reporting Requirements****8. Upset Noncompliance Notification**

If a process "upset" (defined as an exceptional incident in which there is unintentional and temporary noncompliance with technology based permit effluent limitations because of factors beyond the reasonable control of the permittee) has occurred, the permittee who wishes to establish the affirmative defense of upset, shall notify the Department by telephone within 24 hours of becoming aware of such conditions; and within five (5) days, provide in writing, the following information:

- a. that an upset occurred and that the permittee can identify the specific cause(s) of the upset;
- b. that the permitted wastewater treatment facility was, at the time, being properly operated and maintained (note that an upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation); and
- c. that the permittee has specified and taken action on all responsible steps to minimize or correct any adverse impact in the environment resulting from noncompliance with this permit.

No determination made during administrative review of claims that noncompliance was caused by upset, and before an action for noncompliance, is final administrative action subject to judicial review.

In any enforcement proceedings, the permittee, seeking to establish the occurrence of an upset, has the burden of proof.

**9. Bypass Prohibition and Notification**

- a. **Bypass Prohibition**  
Bypass is prohibited, and the Department may take an enforcement action, unless:
  - 1) bypass was unavoidable to prevent loss of life, personal injury, or severe property damage;
  - 2) there were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate backup equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass; and
  - 3) the permittee submitted notices as required under 9.b. or 9.c. below.
- b. **Notice of Anticipated Bypass**  
If the permittee knows in advance of the need for a bypass, it shall submit prior notice to the Department, if possible at least ten (10) days before the date of the bypass, and provide information about the anticipated bypass as required by the Department. The Department may approve an anticipated bypass, after considering its adverse effects, if it will meet the three (3) conditions listed in 9.a. above.
- c. **Notice of Unanticipated Bypass**  
The permittee shall submit notice to the Department of an unanticipated bypass by calling the Department at the number indicated on the second page of this permit (if the notice is provided after regular working hours, use the following number: 1-800-292-4706) as soon as possible, but no later than 24 hours from the time the permittee becomes aware of the circumstances.

**PART II****Section C. Reporting Requirements****d. Written Report of Bypass**

A written submission shall be provided within five (5) working days of commencing any bypass to the Department, and at additional times as directed by the Department. The written submission shall contain a description of the bypass and its cause; the period of bypass, including exact dates and times, and if the bypass has not been corrected, the anticipated time it is expected to continue; steps taken or planned to reduce, eliminate, and prevent reoccurrence of the bypass; and other information as required by the Department.

**e. Bypass Not Exceeding Limitations**

The permittee may allow any bypass to occur which does not cause effluent limitations to be exceeded, but only if it also is for essential maintenance to ensure efficient operation. These bypasses are not subject to the provisions of 9.a., 9.b., 9.c., and 9.d., above. This provision does not relieve the permittee of any notification responsibilities under Part II.C.11. of this permit.

**f. Definitions**

- 1) Bypass means the intentional diversion of waste streams from any portion of a treatment facility.
- 2) Severe property damage means substantial physical damage to property, damage to the treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production.

**10. Bioaccumulative Chemicals of Concern (BCC)**

Consistent with the requirements of R 323.1098 and R 323.1215 of the Michigan Administrative Code, the permittee is prohibited from undertaking any action that would result in a lowering of water quality from an increased loading of a BCC unless an increased use request and antidegradation demonstration have been submitted and approved by the Department.

**11. Notification of Changes in Discharge**

The permittee shall notify the Department, in writing, as soon as possible but no later than 10 days of knowing, or having reason to believe, that any activity or change has occurred or will occur which would result in the discharge of: 1) detectable levels of chemicals on the current Michigan Critical Materials Register, priority pollutants or hazardous substances set forth in 40 CFR 122.21, Appendix D, or the Pollutants of Initial Focus in the Great Lakes Water Quality Initiative specified in 40 CFR 132.6, Table 6, which were not acknowledged in the application or listed in the application at less than detectable levels; 2) detectable levels of any other chemical not listed in the application or listed at less than detection, for which the application specifically requested information; or 3) any chemical at levels greater than five times the average level reported in the complete application (see the first page of this permit, for the date(s) the complete application was submitted). Any other monitoring results obtained as a requirement of this permit shall be reported in accordance with the compliance schedules.



**PART II****Section C. Reporting Requirements****12. Changes in Facility Operations**

Any anticipated action or activity, including but not limited to facility expansion, production increases, or process modification, which will result in new or increased loadings of pollutants to the receiving waters must be reported to the Department by a) submission of an increased use request (application) and all information required under R 323.1098 (Antidegradation) of the Water Quality Standards or b) by notice if the following conditions are met: 1) the action or activity will not result in a change in the types of wastewater discharged or result in a greater quantity of wastewater than currently authorized by this permit; 2) the action or activity will not result in violations of the effluent limitations specified in this permit; 3) the action or activity is not prohibited by the requirements of Part II.C.10.; and 4) the action or activity will not require notification pursuant to Part II.C.11. Following such notice, the permit or, if applicable, the facility's COC may be modified according to applicable laws and rules to specify and limit any pollutant not previously limited.

**13. Transfer of Ownership or Control**

In the event of any change in control or ownership of facilities from which the authorized discharge emanates, the permittee shall submit to the Department 30 days prior to the actual transfer of ownership or control a written agreement between the current permittee and the new permittee containing: 1) the legal name and address of the new owner; 2) a specific date for the effective transfer of permit responsibility, coverage and liability; and 3) a certification of the continuity of or any changes in operations, wastewater discharge, or wastewater treatment.

If the new permittee is proposing changes in operations, wastewater discharge, or wastewater treatment, the Department may propose modification of this permit in accordance with applicable laws and rules.

**14. Operations and Maintenance Manual**

For wastewater treatment facilities that serve the public (and are thus subject to Part 41 of the NREPA), Section 4104 of Part 41 and associated Rule 2957 of the Michigan Administrative Code allow the Department to require an Operations and Maintenance (O&M) Manual from the facility. An up-to-date copy of the O&M Manual shall be kept at the facility and shall be provided to the Department upon request. The Department may review the O&M Manual in whole or in part at its discretion and require modifications to it if portions are determined to be inadequate.

At a minimum, the O&M Manual shall include the following information: permit standards; descriptions and operation information for all equipment; staffing information; laboratory requirements; record keeping requirements; a maintenance plan for equipment; an emergency operating plan; safety program information; and copies of all pertinent forms, as-built plans, and manufacturer's manuals.

Certification of the existence and accuracy of the O&M Manual shall be submitted to the Department at least sixty days prior to start-up of a new wastewater treatment facility. Recertification shall be submitted sixty days prior to start-up of any substantial improvements or modifications made to an existing wastewater treatment facility.

**PART II****Section C. Reporting Requirements****15. Signatory Requirements**

All applications, reports, or information submitted to the Department in accordance with the conditions of this permit and that require a signature shall be signed and certified as described in the Federal Act and the NREPA.

The Federal Act provides that any person who knowingly makes any false statement, representation, or certification in any record or other document submitted or required to be maintained under this permit, including monitoring reports or reports of compliance or noncompliance, shall, upon conviction, be punished by a fine of not more than \$10,000 per violation, or by imprisonment for not more than 6 months per violation, or by both.

The NREPA (Section 3115(2)) provides that a person who at the time of the violation knew or should have known that he or she discharged a substance contrary to this part, or contrary to a permit, COC, or order issued or rule promulgated under this part, or who intentionally makes a false statement, representation, or certification in an application for or form pertaining to a permit or COC or in a notice or report required by the terms and conditions of an issued permit or COC, or who intentionally renders inaccurate a monitoring device or record required to be maintained by the Department, is guilty of a felony and shall be fined not less than \$2,500.00 or more than \$25,000.00 for each violation. The court may impose an additional fine of not more than \$25,000.00 for each day during which the unlawful discharge occurred. If the conviction is for a violation committed after a first conviction of the person under this subsection, the court shall impose a fine of not less than \$25,000.00 per day and not more than \$50,000.00 per day of violation. Upon conviction, in addition to a fine, the court in its discretion may sentence the defendant to imprisonment for not more than 2 years or impose probation upon a person for a violation of this part. With the exception of the issuance of criminal complaints, issuance of warrants, and the holding of an arraignment, the circuit court for the county in which the violation occurred has exclusive jurisdiction. However, the person shall not be subject to the penalties of this subsection if the discharge of the effluent is in conformance with and obedient to a rule, order, permit, or COC of the Department. In addition to a fine, the attorney general may file a civil suit in a court of competent jurisdiction to recover the full value of the injuries done to the natural resources of the state and the costs of surveillance and enforcement by the state resulting from the violation.

**16. Electronic Reporting**

Upon notice by the Department that electronic reporting tools are available for specific reports or notifications, the permittee shall submit electronically all such reports or notifications as required by this permit.



**PART II****Section D. Management Responsibilities****1. Duty to Comply**

All discharges authorized herein shall be consistent with the terms and conditions of this permit. The discharge of any pollutant identified in this permit, more frequently than, or at a level in excess of, that authorized, shall constitute a violation of the permit.

It is the duty of the permittee to comply with all the terms and conditions of this permit. Any noncompliance with the Effluent Limitations, Special Conditions, or terms of this permit constitutes a violation of the NREPA and/or the Federal Act and constitutes grounds for enforcement action; for permit or Certificate of Coverage (COC) termination, revocation and reissuance, or modification; or denial of an application for permit or COC renewal.

It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

**2. Facilities Operation**

The permittee shall, at all times, properly operate and maintain all treatment or control facilities or systems installed or used by the permittee to achieve compliance with the terms and conditions of this permit. Proper operation and maintenance includes adequate laboratory controls and appropriate quality assurance procedures.

**3. Power Failures**

In order to maintain compliance with the effluent limitations of this permit and prevent unauthorized discharges, the permittee shall either:

- a. provide an alternative power source sufficient to operate facilities utilized by the permittee to maintain compliance with the effluent limitations and conditions of this permit; or
- b. upon the reduction, loss, or failure of one or more of the primary sources of power to facilities utilized by the permittee to maintain compliance with the effluent limitations and conditions of this permit, the permittee shall halt, reduce or otherwise control production and/or all discharge in order to maintain compliance with the effluent limitations and conditions of this permit.

**4. Adverse Impact**

The permittee shall take all reasonable steps to minimize or prevent any adverse impact to the surface waters or groundwaters of the state resulting from noncompliance with any effluent limitation specified in this permit including, but not limited to, such accelerated or additional monitoring as necessary to determine the nature and impact of the discharge in noncompliance.

## PART II

### Section D. Management Responsibilities

#### 5. Containment Facilities

The permittee shall provide facilities for containment of any accidental losses of polluting materials in accordance with the requirements of the Part 5 Rules (R 324.2001 through R 324.2009 of the Michigan Administrative Code). For a Publicly Owned Treatment Work (POTW), these facilities shall be approved under Part 41 of the NREPA.

#### 6. Waste Treatment Residues

Residuals (i.e. solids, sludges, biosolids, filter backwash, scrubber water, ash, grit, or other pollutants or wastes) removed from or resulting from treatment or control of wastewaters, including those that are generated during treatment or left over after treatment or control has ceased, shall be disposed of in an environmentally compatible manner and according to applicable laws and rules. These laws may include, but are not limited to, the NREPA, Part 31 for protection of water resources, Part 55 for air pollution control, Part 111 for hazardous waste management, Part 115 for solid waste management, Part 121 for liquid industrial wastes, Part 301 for protection of inland lakes and streams, and Part 303 for wetlands protection. Such disposal shall not result in any unlawful pollution of the air, surface waters or groundwaters of the state.

#### 7. Right of Entry

The permittee shall allow the Department, any agent appointed by the Department, or the Regional Administrator, upon the presentation of credentials and, for animal feeding operation facilities, following appropriate biosecurity protocols:

- a. to enter upon the permittee's premises where an effluent source is located or any place in which records are required to be kept under the terms and conditions of this permit; and
- b. at reasonable times to have access to and copy any records required to be kept under the terms and conditions of this permit; to inspect process facilities, treatment works, monitoring methods and equipment regulated or required under this permit; and to sample any discharge of pollutants.

#### 8. Availability of Reports

Except for data determined to be confidential under Section 308 of the Federal Act and Rule 2128 (R 323.2128 of the Michigan Administrative Code), all reports prepared in accordance with the terms of this permit, shall be available for public inspection at the offices of the Department and the Regional Administrator. As required by the Federal Act, effluent data shall not be considered confidential. Knowingly making any false statement on any such report may result in the imposition of criminal penalties as provided for in Section 309 of the Federal Act and Sections 3112, 3115, 4106 and 4110 of the NREPA.

#### 9. Duty to Provide Information

The permittee shall furnish to the Department, within a reasonable time, any information which the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or the facility's COC, or to determine compliance with this permit. The permittee shall also furnish to the Department, upon request, copies of records required to be kept by this permit.

Where the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the Department, it shall promptly submit such facts or information.



**PART II****Section E. Activities Not Authorized by This Permit****1. Discharge to the Groundwaters**

This permit does not authorize any discharge to the groundwaters. Such discharge may be authorized by a groundwater discharge permit issued pursuant to the NREPA.

**2. POTW Construction**

This permit does not authorize or approve the construction or modification of any physical structures or facilities at a POTW. Approval for the construction or modification of any physical structures or facilities at a POTW shall be by permit issued under Part 41 of the NREPA.

**3. Civil and Criminal Liability**

Except as provided in permit conditions on "Bypass" (Part II.C.9. pursuant to 40 CFR 122.41(m)), nothing in this permit shall be construed to relieve the permittee from civil or criminal penalties for noncompliance, whether or not such noncompliance is due to factors beyond the permittee's control, such as accidents, equipment breakdowns, or labor disputes.

**4. Oil and Hazardous Substance Liability**

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities, or penalties to which the permittee may be subject under Section 311 of the Federal Act except as are exempted by federal regulations.

**5. State Laws**

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities, or penalties established pursuant to any applicable state law or regulation under authority preserved by Section 510 of the Federal Act.

**6. Property Rights**

The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize violation of any federal, state or local laws or regulations, nor does it obviate the necessity of obtaining such permits, including any other Department of Environmental Quality permits, or approvals from other units of government as may be required by law.

**PART III****Technical Standard for the Surface Application of  
Concentrated Animal Feeding Operations Waste on Frozen or Snow-Covered Ground Without  
Incorporation or Injection**

When Concentrated Animal Feeding Operation (CAFO) waste is surface-applied to frozen or snow-covered ground, without incorporation or injection, and that application is followed by rainfall or temperatures rising above freezing, the CAFO waste can run off into lakes, streams, or drains. Documented evidence shows that this runoff can cause resource damage to the surface waters of the state. Therefore, in accordance with Title 40 of the Code of Federal Regulations, Section 123.36, Establishment of Technical Standards for Concentrated Animal Feeding Operations, and State Rule 323.2196(5), CAFO Permits, the Michigan Department of Environmental Quality, Water Bureau, establishes the following Technical Standard. This Technical Standard shall be used for field-by-field assessments, as required by National Pollutant Discharge Elimination System permits issued to CAFOs, to assure that the land application of CAFO waste to frozen or snow-covered ground, without incorporation or injection, will not result in CAFO waste entering the waters of the state.

Based on the frozen and/or snow-covered conditions, the minimal settling and breaking down of the waste during these conditions, and the inability to predict or control snowmelt and rainfall, there are no practices that can ensure the runoff from fields with surface-applied waste on frozen or snow-covered ground will not be polluted. This standard assumes that surface runoff from snowmelt and/or rainfall will occur, and that the runoff will be polluted if CAFO waste is surface-applied on frozen or snow-covered ground. Therefore, the way to prevent these discharges is to apply CAFO waste only to fields, or portions of fields, where the runoff will not reach surface waters.

A field-by-field assessment must be completed, and all of the following requirements must be met and documented:

1. The Natural Resources Conservation Service's Manure Application Risk Index (MARI)\* has been completed to identify fields, or portions of fields, that scored 37 or lower on the MARI.
2. An on-site field inspection of the entire field, or portion of field, that scored 37 or lower under the MARI has been completed. The inspection will take into consideration the slope and location of surface waters, tile line risers, and other conduits to surface water.
3. Based on the on-site field inspection, the Comprehensive Nutrient Management Plan (CNMP) will include documentation on topographic maps, the fields or portions of fields where the runoff will not flow to surface waters, and designate those areas as the only areas authorized for surface application without incorporation to frozen or snow-covered ground.
4. The findings of the inspection and documentation in the CNMP will be approved by a certified CNMP provider.

This assessment must be incorporated into the CNMP, and submitted as part of the CNMP Executive Summary each year.

\* Grigar, J., and Lemunyon, J. A Procedure for Determining the Land Available for Winter Spreading of Manure in Michigan. NRCS publication. (Available on the MDEQ NPDES website)

\_\_\_\_\_  
ORIGINAL SIGNED

Richard A. Powers, Chief  
Water Bureau

\_\_\_\_\_  
April 19, 2005

Date



# **EXHIBIT B**



## Calhoun GIS

Parcel Report: 09-160-003-00

10/19/2021

1:05:26 PM



### Property Address

20737 F DRIVE SOUTH

Marshall, MI, 49068

### Owner Address

HOLLOO FARMS LLC

Unit:

09

--

Unit Name:

ECKFORD TOWNSHIP

20849 F DRIVE SOUTH

Marshall, MI 49068

### General Information for 2021 Tax Year

Parcel Number:	09-160-003-00	Assessed Value:	\$2,232,410
Property Class:	101	Taxable Value:	\$2,075,580
Class Name:	AGRICULTURAL	State Equalized Value:	\$2,232,410
School Dist Code:	13110		
School Dist Name:	MARSHALL		



PRE 2020: 100%  
PRE 2021: 100%

#### Prev Year Info

Prev Year Info	MBOR Assessed	Final SEV	Final Taxable
2020	\$2,228,580	\$2,228,580	\$2,046,930
2019	\$2,171,860	\$2,171,860	\$2,008,770

#### Land Information

Acreage: 75.66  
Zoning:

#### Legal Description

ECKFORD TOWNSHIP T3S R5W SECTION 16S 1/2 OF SE 1/4, EXC: BEG S 1/4 POST, N 216 FT, E 472 FT, N 48 FT, E 330 FT, S 264 FT, W 802 FT TO POB 75.66 AC +/-Split 2 AC on 11/23/2008 into 13-09-160-003-01

#### Sales Information

Sale Date: 09-13-2001

Sale Price: 0

Instrument: MIS

Grantor: HOLLOO FARMS LLC

Grantee:

Terms of Sale: PA 260 AGREEMENT

Liber/Page: 2354/834

Sale Date: 04-21-2000

Sale Price: 0

Instrument: WD

Grantor: LOONEN PETER

Grantee: HOLLOO FARMS LLC

Terms of Sale: RELATED PARTIES

Liber/Page: 2214/553

Sale Date: 01-20-2000

Sale Price: 872223

Instrument: WD

Grantor: HARRIS CARL F & JANICE

Grantee: LOONEN PETER

Terms of Sale: ARMS LENGTH

Liber/Page: 2197/688

## Tax History \*Total Due as of settlement date

### Tax Details 2020 Winter

School Dist. Code:	13110	Assessed Value:	\$2,228,580
School Dist. Name:	MARSHALL	Taxable Value:	\$2,046,930
Property Class:	101	State Equalized Value:	\$2,228,580
Class Name:	AGRICULTURAL	Exemption Percent:	100%

Last Payment Date: February 16, 2021

Base Tax:	\$48,171.96	Base Paid:	\$48,171.96
Admin Fees:	\$479.23	Admin Fees Paid:	\$479.23
Interest Fees:	\$0.00	Interest Fees Paid:	\$0
Total Tax & Fees:	\$48,651.19	Total Paid:	\$48,651.19

### Tax Items 2020 Winter

Tax Source	Millage Rate	Tax Amt.	Base Amt. Paid
HUCKLEBERRY	0	248.88	\$248.88
SCHOOL OPER FC	18	0.00	\$0.00
TOWNSHIP FIRE	0.9941	2,034.85	\$2,034.85
MAR AMBULANCE	0.6991	1,431.00	\$1,431.00
MAR LIBRARY/VOTE	1.6687	3,415.71	\$3,415.71
KCC	3.6136	7,396.78	\$7,396.78
CISD	6.2057	12,702.63	\$12,702.63
PARKS	0.2	409.38	\$409.38
VETERANS	0.1	204.69	\$204.69
MED CARE	0.2482	508.04	\$508.04
SENIOR TAX	0.7452	1,525.37	\$1,525.37
TOWNSHIP OPERATE	0.8882	1,818.08	\$1,818.08
SCH BL/ST/MAR	0.9994	2,045.70	\$2,045.70
SCH DEBT/MAR	7.05	14,430.85	\$14,430.85
SCH OPE/MAR	17.9928	0.00	\$0.00

### Tax Details 2020 Summer

School Dist. Code:	13110	Assessed Value:	\$2,228,580
School Dist. Name:	MARSHALL	Taxable Value:	\$2,046,930
Property Class:	101	State Equalized Value:	\$2,228,580
Class Name:	AGRICULTURAL	Exemption Percent:	100%



Last Payment Date: February 16, 2021

Base Tax:	\$23,289.76	Base Paid:	\$23,289.76
Admin Fees:	\$232.89	Admin Fees Paid:	\$232.89
Interest Fees:	\$0.00	Interest Fees Paid:	\$0
Total Tax & Fees:	\$23,522.65	Total Paid:	\$23,522.65

#### Tax Items 2020 Summer

Tax Source	Millage Rate	Tax Amt.	Base Amt. Paid
STATE ED	6	12,281.58	\$12,281.58
COUNTY OPERATE	5.3779	11,008.18	\$11,008.18

#### Tax Details 2019 Winter

School Dist. Code:	13110	Assessed Value:	\$2,171,860
School Dist. Name:	MARSHALL	Taxable Value:	\$2,008,770
Property Class:	101	State Equalized Value:	\$2,171,860
Class Name:	AGRICULTURAL	Exemption Percent:	100%

Last Payment Date: February 16, 2020

Base Tax:	\$46,959.71	Base Paid:	\$46,959.71
Admin Fees:	\$466.43	Admin Fees Paid:	\$466.43
Interest Fees:	\$0.00	Interest Fees Paid:	\$0
Total Tax & Fees:	\$47,426.14	Total Paid:	\$47,426.14

#### Tax Items 2019 Winter

Tax Source	Millage Rate	Tax Amt.	Base Amt. Paid
HUCKLEBERRY	0	254.57	\$254.57
BUDLONG	0	61.97	\$61.97
SCHOOL OPER FC	18	0.00	\$0.00
TOWNSHIP FIRE	0.9976	2,003.94	\$2,003.94
MAR AMBULANCE	0.7	1,406.13	\$1,406.13
MAR LIBRARY/VOTE	1.6687	3,352.03	\$3,352.03
KCC	3.6136	7,258.89	\$7,258.89
CISD	6.2057	12,465.82	\$12,465.82
VETERANS	0.1	200.87	\$200.87
MED CARE	0.2482	498.57	\$498.57
SENIOR TAX	0.7452	1,496.93	\$1,496.93

TOWNSHIP OPERATE	0.8914	1,790.61	\$1,790.61
SCH BL/ST/MAR	0.9994	2,007.56	\$2,007.56
SCH DEBT/MAR	7.05	14,161.82	\$14,161.82
SCH OPE/MAR	17.9928	0.00	\$0.00

#### Tax Details 2019 Summer

School Dist. Code:	13110	Assessed Value:	\$2,171,860
School Dist. Name:	MARSHALL	Taxable Value:	\$2,008,770
Property Class:	101	State Equalized Value:	\$2,171,860
Class Name:	AGRICULTURAL	Exemption Percent:	100%

Last Payment Date: February 16, 2020

Base Tax:	\$22,855.58	Base Paid:	\$22,855.58
Admin Fees:	\$228.55	Admin Fees Paid:	\$228.55
Interest Fees:	\$0.00	Interest Fees Paid:	\$0
Total Tax & Fees:	\$23,084.13	Total Paid:	\$23,084.13

#### Tax Items 2019 Summer

Tax Source	Millage Rate	Tax Amt.	Base Amt. Paid
STATE ED	6	12,052.62	\$12,052.62
COUNTY OPERATE	5.3779	10,802.96	\$10,802.96

#### Tax Details 2018 Winter

School Dist. Code:	13110	Assessed Value:	\$2,001,100
School Dist. Name:	MARSHALL	Taxable Value:	\$1,961,690
Property Class:	101	State Equalized Value:	\$2,001,100
Class Name:	AGRICULTURAL	Exemption Percent:	100%

Last Payment Date: February 14, 2019

Base Tax:	\$45,945.48	Base Paid:	\$45,945.48
Admin Fees:	\$455.63	Admin Fees Paid:	\$455.63
Interest Fees:	\$0.00	Interest Fees Paid:	\$0
Total Tax & Fees:	\$46,401.11	Total Paid:	\$46,401.11

#### Tax Items 2018 Winter

Tax Source	Millage Rate	Tax Amt.	Base Amt. Paid
WILDER CREEK	0	59.64	\$59.64
HUCKLEBERRY	0	260.33	\$260.33



BUDLONG	0	61.97	\$61.97
SCHOOL OPER FC	18	0.00	\$0.00
TOWNSHIP FIRE	1	1,961.69	\$1,961.69
MAR AMBULANCE	0.7	1,373.18	\$1,373.18
MAR LIBRARY/VOTE	1.6704	3,276.80	\$3,276.80
KCC	3.6136	7,088.76	\$7,088.76
CISD	6.2057	12,173.65	\$12,173.65
VETERANS	0.1	196.16	\$196.16
MED CARE	0.2482	486.89	\$486.89
SENIOR TAX	0.7452	1,461.85	\$1,461.85
TOWNSHIP OPERATE	0.8936	1,752.96	\$1,752.96
SCH BL/ST/MAR	1	1,961.69	\$1,961.69
SCH DEBT/MAR	7.05	13,829.91	\$13,829.91
SCH OPE/MAR	17.9298	0.00	\$0.00

#### Tax Details 2018 Summer

School Dist. Code:	13110	Assessed Value:	\$2,001,100
School Dist. Name:	MARSHALL	Taxable Value:	\$1,961,690
Property Class:	101	State Equalized Value:	\$2,001,100
Class Name:	AGRICULTURAL	Exemption Percent:	100%

Last Payment Date: February 14, 2019

Base Tax:	\$22,319.91	Base Paid:	\$22,319.91
Admin Fees:	\$223.19	Admin Fees Paid:	\$223.19
Interest Fees:	\$0.00	Interest Fees Paid:	\$0
Total Tax & Fees:	\$22,543.10	Total Paid:	\$22,543.10

#### Tax Items 2018 Summer

Tax Source	Millage Rate	Tax Amt.	Base Amt. Paid
COUNTY OPERATE	5.3779	10,549.77	\$10,549.77
STATE ED	6	11,770.14	\$11,770.14

---

**Application Use:**

This map is neither a legally recorded map nor a survey and is not intended to be used as such. The information on Calhoun County websites, are distributed and transmitted 'as is' without warranties of any kind, either expressed or implied, including without limitations, warranties of title or implied warranties of merchantability or fitness for a particular purpose. Calhoun County does not guarantee the accuracy, timeliness, or completeness of the information on this website.


**GIS/Mapping:**

The Geographic Information System (GIS) made available through this website is developed and maintained by Calhoun County. Use of materials and information constitutes acceptance of all disclaimers associated with these websites. GIS data is not the official record of the County. This data is made available for information purposes only!



# **EXHIBIT C**

# Holloo Farms, Calhoun County



0 0.5 1 1.5 2 Miles



-  Holloo Farms CAFO
-  Application Fields
-  Roads



# **EXHIBIT D**

MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY  
WATER RESOURCES DIVISION  
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

*Authorized by Part 31, Water Resources Protection, of the Natural Resources and  
Environmental Protection Act, 1994 PA 451, as Amended*

**CERTIFICATE OF COVERAGE (COC)**

Under General Permit No. MIG010000  
CAFO General Permit

CERTIFICATE OF COVERAGE NO.: MIG010167  
DESIGNATED NAME: Holloo Farms-CAFO  
PERMITTEE: Holloo Farms LLC  
MAILING ADDRESS: 20849 F Drive South  
Marshall, Michigan 49068

This COC requires the Holloo Farms LLC to operate facilities in accordance with the conditions set forth in General Permit MIG010000. The Holloo Farms LLC facility is located at 20849 F Drive South, Marshall, Michigan 49068.

References in the General Permit to the Department of Environmental Quality (DEQ) shall be defined as the Kalamazoo District Office of the Water Resources Division and is located at: 7953 Adobe Road, Kalamazoo, Michigan, 49009-5025, 49009-5025; Telephone: 269-567-3500; Fax: 269-567-9440.

The magnitude of the 25-year, 24-hour storm at the Holloo Farms facility is 4.09 inches of rain.

Any person who is aggrieved by this COC may file a sworn petition with the Michigan Administrative Hearing System within the Michigan Department of Licensing and Regulatory Affairs, c/o the Michigan Department of Environmental Quality (MDEQ), setting forth the conditions of the COC that are being challenged and specifying the grounds for the challenge. The Michigan Department of Licensing and Regulatory Affairs may reject any petition filed more than 60 days after issuance as being untimely.

This COC is based on a complete application received by the MDEQ on November 16, 2015. The permittee is subject to all conditions specified in General Permit No. MIG010000 issued April 30, 2015, expiring April 1, 2020. This COC may be modified, terminated, reissued, or revoked as allowed for in General Permit No. MIG010000. On its effective date, this COC shall supersede COC No. MIG010167.

This COC takes effect on the date of issuance.

November 14, 2016  
Date Issued

Original signed by Sylvia Heaton  
Sylvia Heaton, Chief  
Lakes Michigan & Superior Permits Unit  
Permits Section  
Water Resources Division



